

OpenEye
SCIENTIFIC

Sitehopper TK – Java

Release 2026.1.0

Cadence Design Systems, Inc.

August 06, 2026

CONTENTS

1 Introduction **3**

2 GPU-Related Requirements **5**
- 2.1 Supported Platforms . . . 5
- 2.2 Supported GPUs . . . 5
- 2.3 NVIDIA Drivers . . . 5
- 2.4 Performance Tuning . . . 6

3 Examples **7**
- 3.1 SiteHopper Search . . . 7
  - 3.1.1 Search a SiteHopper Database . . . 7
- 3.2 SiteHopper Database . . . 7
  - 3.2.1 Creating a new Database . . . 7
  - 3.2.2 Query database info . . . 7
  - 3.2.3 Get an OEDesignUnit from database . . . 7

4 Preliminary OESiteHopper API **9**
- 4.1 OESiteHopper Classes . . . 9
  - 4.1.1 OESiteHopperDatabase . . . 9
  - 4.1.2 OESiteHopperDatabaseOptions . . . 11
  - 4.1.3 OESiteHopperPatchOptions . . . 12
  - 4.1.4 OESiteHopperResults . . . 14
  - 4.1.5 OESiteHopperScore . . . 15
  - 4.1.6 OESiteHopperSearch . . . 17
  - 4.1.7 OESiteHopperSearchBase . . . 17
  - 4.1.8 OESiteHopperSearchOptions . . . 18
- 4.2 OESiteHopper Constants . . . 20
  - 4.2.1 OESiteHopperDatabaseMode . . . 20
- 4.3 OESiteHopper Functions . . . 21
  - 4.3.1 OEAddPatchSurface . . . 21
  - 4.3.2 OEGetPatchSurface . . . 21
  - 4.3.3 OEHasPatchSurface . . . 21
  - 4.3.4 OEMakePatchFromDesignUnit . . . 21
  - 4.3.5 OESetPatchSurface . . . 22
  - 4.3.6 OESetProteinSDData . . . 22
  - 4.3.7 OESiteHopperGetArch . . . 22
  - 4.3.8 OESiteHopperGetLicensee . . . 22
  - 4.3.9 OESiteHopperGetPlatform . . . 23
  - 4.3.10 OESiteHopperGetRelease . . . 23
  - 4.3.11 OESiteHopperGetSite . . . 23

4.3.12 OESiteHopperGetVersion . . . 23
4.3.13 OESiteHopperIsGPUReady . . . 23
4.3.14 OESiteHopperIsLicensed . . . 23

5 Release History **25**
5.1 SiteHopper TK 2.1.4 . . . 25
5.2 Sitehopper TK 2.1.3 . . . 25
5.3 SiteHopper TK 2.1.2 . . . 25
5.4 SiteHopper TK 2.1.1 . . . 25
5.4.1 Minor bug fixes . . . 25
5.5 SiteHopper TK 2.1.0 . . . 25
5.5.1 New features . . . 25
5.6 Sitehopper TK 2.0.4 . . . 25
5.7 Sitehopper TK 2.0.3 . . . 25
5.8 Sitehopper TK 2.0.2 . . . 26
5.9 Sitehopper TK 2.0.1 . . . 26
5.9.1 Python-specific changes . . . 26
5.10 SiteHopper TK 2.0.0 . . . 26

6 Copyright and Trademarks **27**

7 Sample Code **29**

8 Citation **31**
8.1 Orion® . . . 31
8.2 Orion Floes . . . 31
8.3 Toolkits and Applications . . . 31
8.4 Publications for Bibliographies . . . 33
8.4.1 Orion . . . 33
8.4.2 AFITT and FLYNN Applications . . . 33
8.4.3 OEDocking Application and Toolkit . . . 33
8.4.4 OMEGA Application and Toolkit . . . 33
8.4.5 ROCS Application . . . 34
8.5 OpenEye MMDS Web Service . . . 34

9 Technology Licensing **35**
9.1 GCC . . . 107
9.1.1 GCC RUNTIME LIBRARY EXCEPTION . . . 108
9.1.2 GNU GENERAL PUBLIC LICENSE . . . 109

Index **123**

Attention

Sitehopper TK is currently only available in C++ and Python.

CHAPTER

ONE

INTRODUCTION

The **SiteHopper TK** uses technology from the OpenEye **Shape TK** to compare protein binding sites using Shape and Color similarity.

There are two main classes in the toolkit. *OESiteHopperDatabase* can be used to search and prepare a set of OEDesignUnit for search. For each OEDesignUnit, *OESiteHopperDatabase* creates a "patch" molecule generated by placing shape atoms on the molecular surface of the binding site and color atoms on protein atoms near the binding site.

Once the database is created, the *OESiteHopperSearch* class can take a query OEDesignUnit and return a set of similar OEDesignUnit objects, each transformed based on the optimized overlap and scored using a combination of the Shape and Color Tanimoto calculated via the **Shape TK**.

If running on a Linux machine with a supported Nvidia GPU, the Search can use the GPU to do a fast pre-screen to speed up the search. See the *GPU Prerequisites* section for more info on GPU requirements.

CHAPTER

TWO

GPU-RELATED REQUIREMENTS

The following features are required in order to use GPU-accelerated OpenEye toolkits and applications.

2.1 Supported Platforms

CUDA-enabled OpenEye software is only available on supported Linux platforms. For supported Linux platforms see the Platform Support Page.

2.2 Supported GPUs

An NVIDIA Tesla, Quadro, or GeForce GPU with a **compute capability of 3.5 or higher** is required on your system. For a comprehensive table of compute capability categories for each GPU, please refer to the CUDA Wikipedia page.

2.3 NVIDIA Drivers

- **Minimum NVIDIA Driver version: 450.x**.
- CUDA is **not** required to be installed.

We recommend driver 450.80.02, and we strongly advise manually downloading and installing the appropriate NVIDIA driver for your system as opposed to using a package manager.

To install, root privilege is required. Follow these steps:

1. Download the driver to the machine you are installing it on.
2. `chmod +x` the driver package to make it executable.
3. Ensure you have disabled X-server by killing any running sessions. Reboot may be required if X-server is still running after this step.

> **Warning**
>
> Disabling X-server requires different processes to be killed depending on your Linux distribution. See the NVIDIA installation guide for more details.

> **Warning**
>
> The NVIDIA kernel module can often conflict with the open source Nouveau display drivers, depending on your specific Linux distribution. The NVIDIA documentation is a much more

complete and up-to-date source for information on how to work around this issue. See Disabling Nouveau on the NVIDIA website.

4. Install the driver by `sudo ./NVIDIA-Linux-x86_64-450.80.02.run` and follow the step-by-step installation instructions.

For more details on driver installations, see the CUDA Installation Guide

Note

The output of the `nvidia-smi` command is extremely useful when debugging GPU issues. Please include the output from `nvidia-smi` in any request to support@eyesopen.com.

2.4 Performance Tuning

To get the most performance out of an NVIDIA graphics card, use the persistence daemon to switch persistence mode across all cards on the system (root privilege required):

```
sudo nvidia-persistenced --user foo
```

This will automatically enable persistence mode after reboot.

For full instructions on the persistence daemon, see the Persistence daemon section of the NVIDIA docs.

CHAPTER

THREE

EXAMPLES

3.1 SiteHopper Search

3.1.1 Search a SiteHopper Database

3.2 SiteHopper Database

3.2.1 Creating a new Database

3.2.2 Query database info

3.2.3 Get an OEDesignUnit from database

CHAPTER

FOUR

PRELIMINARY OESITEHOPPER API

4.1 OESiteHopper Classes

Attention

This API is currently available in C++ and Python.

4.1.1 OESiteHopperDatabase

```
class OESiteHopperDatabase : public OEShape::OESiteHopperDatabaseBase
```

This class allows creation and searching of one or more OESiteHopper patches, built from OEDesignUnits. When adding data to the database, it can be opened in either Create or Append mode. For searching, open in Search (Read-Only) mode for thread safety and to prevent accidentally changing the data.

Constructors

```
OESiteHopperDatabase()
OESiteHopperDatabase(const OESiteHopperDatabase &)
```

Default constructors.

Open

```
bool Open(const std::string& dbfile, const unsigned int mode,
          const OESiteHopperDatabaseOptions& opts = OESiteHopperDatabaseOptions())
```

Open a file as an OESiteHopperDatabase.

To create a new database, use the mode *OESiteHopperDatabaseMode.CREATE*. If the file already exists, it will be overwritten. The options used to create the database can be changed by passing an new version of *OESiteHopperDatabaseOptions*.

To append to an existing database, use the mode *OESiteHopperDatabaseMode.APPEND*. If the file does not yet exists, it will be created like the Create mode.

To read or search a file, open using the mode *OESiteHopperDatabaseMode.SEARCH*. This opens the database in read-only mode and will not allow adding new entries.

> **Note**
>
> OESiteHopperDatabaseOptions are only used in *CREATE* mode. Otherwise, options already stored in the database will be used.

operator bool

```
operator bool() const
```

Add

```
unsigned int Add(const std::string& filename)
unsigned int Add(const OEBio::OEDesignUnit& du)
```

Add a single OEDesignUnit file or object to an open database. This method will fail if the database is not open or if not opened in Create or Append mode.

Returns the index of the newly added OEDesignUnit or *UINT_MAX* on failure.

AddDirectory

```
bool AddDirectory(const std::string& path, unsigned int ncpu = 0,
                  OESystem::OETracerBase& tracer = OESystem::OENoTracer)
```

Add a directory of OEDesignUnit files to the database. This call will recurse the entire directory tree, looking for all available *.oedu* files.

By default, this call will use all available CPUs to process this set of OEDesignUnits. Setting *ncpu* can be used to reduce the number of CPUs used.

If you want to see a progress bar during the process, use an *OEConsoleProgressTracer* instead of the default *OENoTracer*.

Close

```
void Close()
```

Close the database connection. Any operations (except another call to *Open*) after this will fail.

GetDesignUnit

```
bool GetDesignUnit(OEBio::OEDesignUnit& du, unsigned int idx) const
```

Get a specific OEDesignUnit based on the database index.

GetIDByTitle

```
std::vector<unsigned int> GetIDByTitle(const std::string& title) const
```

Get a vector of indices based on a substring match of the passed in title to OEDesignUnit titles in the database.

GetMaxMolIdx

```
unsigned int GetMaxMolIdx() const
```

Internal use: Get the maximum index in the database. Used by the GPU search.

GetMolecule

```
bool GetMolecule(OEChem::OEMolBase& mol, unsigned int idx) const
```

Internal use: Get the patch molecule for the given index.

GetOptions

```
const OESiteHopperDatabaseOptions& GetOptions() const
```

Get the options used to create patches as they are added to the database.

GetSequenceInfo

```
bool GetSequenceInfo(std::vector<std::vector<std::string>>& seq,
                     unsigned int idx) const
```

Internal use: Get the sequence info for the given database index.

GetTitle

```
bool GetTitle(std::string& title, unsigned int idx) const
```

Get the OEDesignUnit title for the given index.

4.1.2 OESiteHopperDatabaseOptions

```
class OESiteHopperDatabaseOptions : public OESystem::OEOptions
```

This class provides a way to set up how the SiteHopper database will be built.

Constructors

```
OESiteHopperDatabaseOptions()
OESiteHopperDatabaseOptions(const OESiteHopperDatabaseOptions &)
OESiteHopperDatabaseOptions(OESiteHopperDatabaseOptions &&)
```

Default and copy constructors.

GetPatchOptions

```
const OESiteHopperPatchOptions& GetPatchOptions() const
```

Returns a reference to the *OESiteHopperPatchOptions* instance as currently set. This defines options for building patches as they are added to the database.

SetPatchOptions

```
void SetPatchOptions(const OESiteHopperPatchOptions& opts)
```

Update the internal OESiteHopperPatchOptions.

CreateCopy

```
OESiteHopperDatabaseOptions* CreateCopy() const
```

4.1.3 OESiteHopperPatchOptions

```
class OESiteHopperPatchOptions : public OESystem::OEOptions
```

Options that affect how SiteHopper Patches are contructed.

Constructors

```
OESiteHopperPatchOptions()
OESiteHopperPatchOptions(const OESiteHopperPatchOptions &)
OESiteHopperPatchOptions(OESiteHopperPatchOptions &&)
```

Default constructors.

GetResidueCutoff

```
float GetResidueCutoff() const
```

Get distance (in Angstroms) from any ligand atom to any protein residue to consider that residue part of the patch.

[default: 7.0]

GetSiteSize

```
float GetSiteSize() const
```

Get distance from any site residue to edge of patch surface to be created. A larger distance means a larger patch will be created.

[default: 4.0]

GetSurfaceCutoff

```
float GetSurfaceCutoff() const
```

Get maximum distance a color atom can be from the surface to be included in the patch.

[default: 2.5]

GetScaleFactor

```
unsigned int GetScaleFactor() const
```

Get factor by which number of surface points are reduced to create the patch surface.

[default: 4]

GetUserStartsScaleFactor

```
unsigned int GetUserStartsScaleFactor() const
```

Get factor by which the number of surface points are reduced to create user starts for the optimization.

[default: 14]

SetResidueCutoff

```
bool SetResidueCutoff(float cutoff)
```

Set distance (in Angstroms) from any ligand atom to any protein residue to consider that residue part of the patch.

[default: 7.0]

SetSiteSize

```
float GetSiteSize() const
```

Set distance from any site residue to edge of patch surface to be created. A larger distance means a larger patch will be created.

[default: 4.0]

SetSurfaceCutoff

```
bool SetSurfaceCutoff(const float value)
```

Set maximum distance a color atom can be from the surface to be included in the patch. A larger value means more color atoms from the protein will be included.

[default: 2.5]

SetScaleFactor

```
bool SetScaleFactor(unsigned int factor)
```

Set factor by which number of surface points are reduced to create the patch surface. A larger factor will result in fewer surface/shape point. Too few will result in a poor shape description of the patch.

[default: 4]

SetUserStartsScaleFactor

```
bool SetUserStartsScaleFactor(unsigned int factor)
```

Set factor by which the number of surface points are reduced to create user starts for the optimization.

[default: 14]

CreateCopy

```
OESiteHopperPatchOptions* CreateCopy() const
```

GetColorForceField

```
const OEShape::OEColorForceField& GetColorForceField() const
```

Get a reference to the OEColorForceField used for patch creation and scoring.

4.1.4 OESiteHopperResults

```
class OESiteHopperResults
```

This is a class used inside the SiteHopper search. User results user the *OESiteHopperScore* class.

The following classes derive from this class:

- *OESiteHopperScore*

Constructors

```
OESiteHopperResults()
OESiteHopperResults(OESiteHopperResults &&rhs)
OESiteHopperResults(const OESiteHopperResults& rhs)
```

Default constructors.

GetColorScale

```
float GetColorScale() const
```

Get scale factor applied to color Tanimoto to get PatchScore.

[default: 3.0]

GetColorTanimoto

```
float GetColorTanimoto() const
```

Get color Tanimoto from the patch overlay.

GetPatchScore

```
float GetPatchScore() const
```

Get PatchScore from overlay. This score is Shape Tanimoto + ScaleFactor * Color Tanimoto.

GetRank

```
unsigned int GetRank() const
```

Get the rank in the hitlist.

GetSequenceSimilarity

```
float GetSequenceSimilarity() const
```

Get sequence similarity between referance patch protein and fit patch protein.

GetShapeTanimoto

```
float GetShapeTanimoto() const
```

Get Shape Tanimoto from overlay.

SetColorScale

```
void SetColorScale(float scale)
```

Set scale factor applied to color Tanimoto to get PatchScore.

[default: 3.0]

SetColorTanimoto

```
void SetColorTanimoto(float score)
```

SetRank

```
void SetRank(unsigned int rank)
```

SetSequenceSimilarity

```
void SetSequenceSimilarity(float similarity)
```

SetShapeTanimoto

```
void SetShapeTanimoto(float score)
```

4.1.5 OESiteHopperScore

```
class OESiteHopperScore : public OESiteHopperResults
```

This class is use to hold the score and results from a SiteHopper search.

The following methods are publicly inherited from *OESiteHopperResults*:

operator=	*GetRank*	*SetColorTanimoto*
GetColorScale	*GetSequenceSimilarity*	*SetRank*
GetColorTanimoto	*GetShapeTanimoto*	*SetSequenceSimilarity*
GetPatchScore	*SetColorScale*	*SetShapeTanimoto*

Constructors

```
OESiteHopperScore()
OESiteHopperScore(OESiteHopperScore &&)
OESiteHopperScore(const OESiteHopperScore& rhs)
```

Default constructors.

GetDesignUnit

```
OEBio::OEDesignUnit GetDesignUnit() const
```

Get output OEDesignUnit for this result. The transfrom from the overlay will already be applied.

GetID

```
unsigned int GetID() const
```

Get database index for this result.

GetTitle

```
std::string GetTitle() const
```

Get title from OEDesignUnit.

GetTransform

```
const OEChem::OETrans& GetTransform() const
```

Get the transform from the overlay. This allows applying the same transform to other objects to move them into the output frame of reference.

> **Note**
>
> When asking for the OEDesignUnit from this class, DO NOT apply this transform as the OEDesignUnit will already be transformed.

SetDesignUnit

```
void SetDesignUnit(const OEBio::OEDesignUnit& du)
```

Internal use: Set the OEDesignUnit.

SetID

```
void SetID(const unsigned int id)
```

Internal use: Set the database index.

SetTitle

```
void SetTitle(const std::string& title)
```

Internal use: Set the title.

SetTransform

```
void SetTransform(const OEChem::OETrans& trans)
```

Internal use: Set the transform.

4.1.6 OESiteHopperSearch

```
class OESiteHopperSearch : public OESiteHopperSearchBase
```

Class to perform a search of an OESiteHopperDatabase.

The following methods are publicly inherited from *OESiteHopperSearchBase*:

operator bool	operator=	Search

Constructors

```
explicit OESiteHopperSearch(OESiteHopperDatabase& shdb)
```

Construct a search object to perform searches of the passed in OESiteHopperDatabase.

operator bool

```
operator bool() const
```

Used to verify that the database is opened correctly and the object is ready for a search.

Search

```
OESystem::OEIterBase<OESiteHopper::OESiteHopperScore>* Search(const OEBio::OEDesignUnit&␣
↪query,
                                                              const␣
↪OESiteHopperSearchOptions& options = OESiteHopperSearchOptions(),
                                                              OESystem::OETracerBase&␣
↪tracer = OESystem::NullTracer)
```

Perform a search using a query OEDesignUnit.

If you want to see a progress bar during the process, use an *OEConsoleProgressTracer* instead of the default *OENoTracer*.

4.1.7 OESiteHopperSearchBase

```
class OESiteHopperSearchBase
```

Base class for OESiteHopperSearch.

The following classes derive from this class:

- *OESiteHopperSearch*

Constructors

```
OESiteHopperSearchBase()
```

Constructors that need documenting.

operator bool

```
operator bool() const = 0
```

Search

```
OESystem::OEIterBase<OESiteHopperScore>* Search(const OEBio::OEDesignUnit& query,
                                                const OESiteHopperSearchOptions& options␣
↪= OESiteHopperSearchOptions(),
                                                OESystem::OETracerBase& tracer =␣
↪OESystem::NullTracer)=0
```

4.1.8 OESiteHopperSearchOptions

```
class OESiteHopperSearchOptions : public OESystem::OEOptions
```

Options to control the process in OESiteHopperSearch.

Constructors

```
OESiteHopperSearchOptions()
OESiteHopperSearchOptions(OESiteHopperSearchOptions &&)
OESiteHopperSearchOptions(const OESiteHopperSearchOptions &)
```

Default constructors.

GetMaxHits

```
unsigned int GetMaxHits() const
```

Get maximum number of hits to return from the search. Very large hitlists can use a large amount of RAM.

[default: 200]

GetNCPU

```
unsigned int GetNCPU() const
```

Get maximum number of CPUs to use for search. Zero (0) implies use all available.

[default: 0]

GetNormalizeAndRescore

```
bool GetNormalizeAndRescore() const
```

Flag to determine whether patches of hits will be normalized to the surface area of the query patch and then rescored for the final hitlist.

[default: false]

GetScoreCutoff

```
float GetScoreCutoff() const
```

Minimum PatchScore for a hit to be considered part of the hitlist.

[default: 0.0]

GetSequenceCutoff

```
float GetSequenceCutoff() const
```

Maximum protein sequence similarity for a hit to be considered part of the hitlist.

[default: 100.0]

GetUseGPU

```
bool GetUseGPU() const
```

Flag to determine whether to use a GPU for prescreen as part of the search. This reduce the search time, but requires Linux and a compatible Nvidia GPU. See *GPU Prerequisites*

SetMaxHits

```
bool SetMaxHits(unsigned int maxHits)
```

Set maximum number of hits to return from the search. Very large hitlists can use a large amount of RAM.

[default: 200]

SetNCPU

```
void SetNCPU(unsigned int n)
```

```
SetNCPU(value: int) -> None
```

Set maximum number of CPUs to use for search. Zero (0) implies use all available.

[default: 0]

SetNormalizeAndRescore

```
bool SetNormalizeAndRescore(bool state)
```

Flag to determine whether patches of hit OEDesignUnits will be normalized to the surface area of the query patch and then rescored for the final hitlist.

[default: false]

SetScoreCutoff

```
bool SetScoreCutoff(float cutoff)
```

Minimum PatchScore for a hit to be considered part of the hitlist.

[default: 0.0]

SetSequenceCutoff

```
bool SetSequenceCutoff(float cutoff)
```

Maximum protein sequence similarity for a hit to be considered part of the hitlist.

[default: 100.0]

SetUseGPU

```
bool GetUseGPU() const
```

Flag to set whether to use a GPU for prescreen as part of the search. This reduces the search time, but requires Linux and a compatible Nvidia GPU. See *GPU Prerequisites*

CreateCopy

```
OESiteHopperSearchOptions* CreateCopy() const
```

4.2 OESiteHopper Constants

4.2.1 OESiteHopperDatabaseMode

Control the mode when opening an OESiteHopperDatabase.

APPEND

Opening in APPEND mode allows adding more OEDesignUnits to an existing database. OESiteHopperDatabaseOptions that are already stored in the database will be used to create new patches.

If the requested database file does not yet exist, this mode works like CREATE.

CREATE

Create a new OESiteHopperDatabase file. If the file already exists it will be overwritten.

MAX

The largest value in the namespace. Useful for verifying that a given mode is valid. This mode is not valid for opening an OESiteHopperDatabase.

READONLY

Open a OESiteHopperDatabase file in read-only mode. This is equivalent to SEARCH.

SEARCH

Open a OESiteHopperDatabase file for searching. This is equivalent to READONLY.

UNDEFINED

The lowest value in the namespace. Useful for verifying that a given mode is valid. This mode is not valid for opening an OESiteHopperDatabase.

4.3 OESiteHopper Functions

4.3.1 OEAddPatchSurface

```
bool OEAddPatchSurface(OEBio::OEDesignUnit& du,
                       const OESiteHopperPatchOptions opts = OESiteHopperPatchOptions())
```

Create the patch surface (as created inside *Add*) and attach it to *du*. The design unit must have valid 3D atomic coordinates and atom types assigned. This function is not needed for database creation or searching, but is useful for visualization.

4.3.2 OEGetPatchSurface

```
bool OEGetPatchSurface(OESpicoli::OESurface &,
                       const OEBio::OEDesignUnit& du)
```

Get the patch surface (if attached) that is created by *OEAddPatchSurface*.

4.3.3 OEHasPatchSurface

```
bool OEHasPatchSurface(const OEBio::OEDesignUnit& du)
```

Verify the OEDesignUnit has a patch surface attached.

4.3.4 OEMakePatchFromDesignUnit

```
bool OEMakePatchFromDesignUnit(OEChem::OEMolBase& patch,
                               const OEBio::OEDesignUnit& du,
                               const OESiteHopperPatchOptions& opts =␣
↪OESiteHopperPatchOptions())
bool OEMakePatchFromDesignUnit(OEChem::OEMolBase& patch,
                               OESpicoli::OESurface& outSurface,
                               const OEBio::OEDesignUnit& du,
                               const OESiteHopperPatchOptions& opts =␣
↪OESiteHopperPatchOptions())
```

Create a new SiteHopper patch from *du*. The design unit must have valid 3D atomic coordinates and atom types assigned (as produced by Spruce TK protein preparation). This function is not normally called directly — it is invoked internally during database creation and at search time.

Two overloads are available:

- The first overload writes only the patch into *patch*.

- The second overload additionally writes the patch surface (the Connolly-style molecular surface used for shape comparison) into *outSurface*, which is useful for visualization.

patch

Output molecule that receives the SiteHopper patch representation.

outSurface

Output surface that receives the patch surface geometry (second overload only).

du

The design unit from which the patch is generated.

opts

Patch generation options. Defaults to *OESiteHopperPatchOptions*.

Returns true on success.

4.3.5 OESetPatchSurface

```
bool OESetPatchSurface(OEBio::OEDesignUnit& du,
                       const OESpicoli::OESurface& surface)
```

Used by *OEAddPatchSurface* to attach the surface to the OEDesignUnit.

4.3.6 OESetProteinSDData

```
void OESetProteinSDData(OEBio::OEDesignUnit& du,
                        const OESiteHopperScore& score)
```

Set score values from *score* as SD data on the protein molecule inside *du*, making them available in the VIDA spreadsheet view. The following fields are written: patch score, color Tanimoto, shape Tanimoto, sequence similarity, and rank.

See also

- *OESiteHopperScore*
- *OEMakePatchFromDesignUnit*

4.3.7 OESiteHopperGetArch

```
const  char* OESiteHopperGetArch()
```

Returns the architecture of the current version of the SiteHopper toolkit. Examples include:

- **microsoft-win64-x64**
- **linux-x64**

4.3.8 OESiteHopperGetLicensee

```
std::string OESiteHopperGetLicensee()
bool OESiteHopperGetLicensee(std::string& licensee)
```

Returns the LICENSEE from the current valid SiteHopper TK license.

4.3.9 OESiteHopperGetPlatform

```
const  char* OESiteHopperGetPlatform()
```

Returns the platform, including compiler version, of the current version of the SiteHopper toolkit. Examples include:

- **microsoft-win64-msvc17-x64**
- **linux-g++7.x-x64**

4.3.10 OESiteHopperGetRelease

```
const  char* OESiteHopperGetRelease()
```

Returns the version of this toolkit release. For example: `1.6.1`.

4.3.11 OESiteHopperGetSite

```
std::string OESiteHopperGetSite()
bool OESiteHopperGetSite(std::string& site)
```

Returns the SITE from the current valid SiteHopper TK license.

4.3.12 OESiteHopperGetVersion

```
unsigned int OESiteHopperGetVersion()
```

Returns the build date of the toolkit as an unsigned int. For example: `20210527`.

4.3.13 OESiteHopperIsGPUReady

```
bool OESiteHopperIsGPUReady()
```

Returns true if *Search* can successfully use the GPU for prescreen search. Useful for checking whether the machine has an accelerator properly setup. It is guaranteed that if this function returns 'true' that all subsequent *Search* method can successfully execute queries. That means that this function will effectively initialize an underlying context that is re-used by *OESiteHopperSearch* objects, possibly grabbing an "exclusive process" lock: http://docs.nvidia.com/cuda/cuda-c-programming-guide/#compute-modes

4.3.14 OESiteHopperIsLicensed

```
bool OESiteHopperIsLicensed(const char* feature = 0,
                            unsigned int* expdate = 0)
```

Determines whether a valid license file is present. This function may be called without a legitimate run-time license to determine whether it is safe to call any **SiteHopper TK** functionality.

The 'feature' argument can be used to check for a valid license to **SiteHopper TK** along with the following features: 'python', 'java', or 'clr' (for CSharp).

The 'expdate' argument can be used to obtain the expiration date of the current **SiteHopper TK** license.

See also

- `OEChemIsLicensed` function

CHAPTER

FIVE

RELEASE HISTORY

5.1 SiteHopper TK 2.1.4

Minor internal improvements have been made.

5.2 Sitehopper TK 2.1.3

Minor internal improvements have been made.

5.3 SiteHopper TK 2.1.2

Minor internal improvements have been made.

5.4 SiteHopper TK 2.1.1

5.4.1 Minor bug fixes

- The *OESiteHopperIsGPUReady* function has been safeguarded from a rare crash.

5.5 SiteHopper TK 2.1.0

5.5.1 New features

- GPU-based **SiteHopper** is no longer used to prescreen but is enabled as a stand-alone search method.

5.6 Sitehopper TK 2.0.4

Minor internal improvements have been made.

5.7 Sitehopper TK 2.0.3

Minor internal improvements have been made.

5.8 Sitehopper TK 2.0.2

Minor internal improvements have been made.

5.9 Sitehopper TK 2.0.1

5.9.1 Python-specific changes

- An issue with *OEGetPatchSurface* wrapping to Python was fixed.

5.10 SiteHopper TK 2.0.0

Fall 2021

This is the initial release of the **SiteHopper TK**.

CHAPTER

SIX

COPYRIGHT AND TRADEMARKS

© 1997-2024 Cadence Design Systems, Inc. (Cadence), 2655 Seely Ave., San Jose, CA 95134, USA. All rights reserved.

OpenEye, Lexichem, ROCS, Grapheme, and Orion are registered trademarks of Cadence Design Systems, Inc.

This material contains proprietary information of Cadence Design Systems, Inc. Use of copyright notice is precautionary only and does not imply publication or disclosure.

The information supplied in this document is believed to be true, but no liability is assumed for its use or the infringement of the rights of others resulting from its use. Information in this document is subject to change without notice and does not represent a commitment on the part of Cadence Design Systems, Inc.

This package is sold/licensed/distributed subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without Cadence Design Systems' prior consent, in any form of packaging or cover other than that in which it was produced. No part of this manual or accompanying documentation, may be reproduced, stored in a retrieval system on optical or magnetic disk, tape, CD, DVD or other medium, or transmitted in any form or by any means, electronic, mechanical, photocopying recording, or otherwise for any purpose other than for the purchaser's personal use without a legal agreement or other written permission granted by Cadence.

This product should not be used in the planning, construction, maintenance, operation or use of any nuclear facility nor the flight, navigation, or communication of aircraft or ground support equipment. Cadence Design Systems, Inc., shall not be liable, in whole or in part, for any claims arising from such use, including death, bankruptcy or outbreak of war.

Windows is a registered trademark of Microsoft Corporation. Apple, OS X, macOS, and Macintosh are registered trademarks of Apple Inc. UNIX is a registered trademark of the Open Group. Linux is a registered trademark of Linus Torvalds. Red Hat is a registered trademark of Red Hat, Inc. SUSE, SLED, and SLES are registered trademarks of Novell, Inc. Ubuntu is a registered trademark of Canonical Ltd.

SYBYL is a registered trademark of Certara, L.P. MDL, BIOVIA and ISIS are registered trademarks of Dassault Systemes and/or its affiliates. SMARTS and SMIRKS are registered trademarks of Daylight Chemical Information Systems, Inc. MacroModel is a registered trademark of Schrodinger, LLC.

Python is a registered trademark of the Python Software Foundation. Django is a registered trademark of the Django Software Foundation. Java is a registered trademark of Oracle and/or its affiliates.

Other products and software packages referenced in this document are trademarks and registered trademarks of their respective vendors or manufacturers.

CHAPTER

SEVEN

SAMPLE CODE

For all of the code examples and samples within documents published by OpenEye, Cadence Molecular Sciences, the following terms of use apply.

TERMS FOR USE OF SAMPLE CODE

The software below ("Sample Code") is provided to current licensees or subscribers of Cadence products or SaaS offerings (each a "Customer"). Customer is hereby permitted to use, copy, and modify the Sample Code, subject to these terms. Cadence claims no rights to Customer's modifications. Modification of Sample Code is at Customer's sole and exclusive risk. Sample Code may require Customer to have a then current license or subscription to the applicable Cadence offering.

THE SAMPLE CODE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. CADENCE DISCLAIMS ALL WARRANTIES, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. In no event shall Cadence be liable for any damages or liability in connection with the Sample Code or its use.

CHAPTER

EIGHT

CITATION

Please follow the guidelines in this document to cite use of our products in research publications and other documents.

For more information, please contact OpenEye Support.

8.1 Orion®

To cite use of Orion, please use the following:

```
Orion <version-number>. OpenEye, Cadence Molecular Sciences, Santa Fe, NM. http://www.
↪eyesopen.com.
```

For example:

```
Orion 2025.1. OpenEye, Cadence Molecular Sciences, Santa Fe, NM. http://www.eyesopen.com.
```

The version number for Orion appears in the product's release notes, for example, https://docs.eyesopen.com/orion-user-interface/releasenotes/index.html.

8.2 Orion Floes

To cite use of an Orion-based floe package, please use the following:

```
OpenEye <package-name> <version-number>. OpenEye, Cadence Molecular Sciences, Santa Fe,␣
↪NM. http://www.eyesopen.com.
```

For example:

```
OpenEye Large-Scale Floes 4.2.3. OpenEye, Cadence Molecular Sciences, Santa Fe, NM.␣
↪http://www.eyesopen.com.
```

The version number for a floe package is displayed on the first page of the package's release notes. For example: https://docs.eyesopen.com/floe/modules/large_scale_floes/docs/source/releasenotes_2025_1.html.

8.3 Toolkits and Applications

To cite OpenEye toolkits or applications used in your work, please use the following:

```
OpenEye Toolkits [or Applications] <version-number>. OpenEye, Cadence Molecular Sciences,
↪ Santa Fe, NM. http://www.eyesopen.com.
```

For example:

```
OpenEye Toolkits 2024.2.1. OpenEye, Cadence Molecular Sciences, Santa Fe, NM. http://www.
↪eyesopen.com.
```

The Applications and Toolkits are released as a package, multiple times per year. The first part of the version number designates the calendar year. The version number appears on the summary document for the package.

If you want to cite an individual application or toolkit, you can use the syntax:

```
<product name> <version-number>. OpenEye, Cadence Molecular Sciences, Santa Fe, NM.␣
↪http://www.eyesopen.com.
```

where <*product name*> is:

- Bioisostere TK
- OEChem TK
- OEDepict TK
- OEDocking TK
- OEFF TK
- Eon TK
- FastROCS TK
- Grapheme TK
- GraphSim TK
- Lexichem TK
- OEMedChem TK
- MolProp TK
- Omega TK
- Quacpac TK
- Shape TK
- Spicoli TK
- Spruce TK
- Szmap TK
- Szybki TK
- Zap TK
- AFITT Application
- BROOD Application
- OEDocking Application
- EON Application
- OMEGA Application
- PICTO Application
- pKa-Prospector Application
- QUACPAC Application

- ROCS Application
- SiteHopper Application
- SPRUCE Application
- SZMAP Application
- SZYBKI Application
- VIDA Application

You can use the version number of the individual Application or Toolkit. For example:

```
SZYBKI Application 2.8.0.1. OpenEye, Cadence Molecular Sciences, Santa Fe, NM. http://
↪www.eyesopen.com.

Szybki TK 2.8.0.1. OpenEye, Cadence Molecular Sciences, Santa Fe, NM. http://www.
↪eyesopen.com.
```

The first documentation pages give the product names and version numbers, as in https://docs.eyesopen.com/applications/szybki/index.html and https://docs.eyesopen.com/toolkits/python/szybkitk/index.html.

8.4 Publications for Bibliographies

Please also cite these publications if the corresponding product was used in your research.

8.4.1 Orion

Sørensen, J., Bannan, C.C., Calabrò, G., Jain, V., Ovanesyan, G., Smith, A., Zhang, S., Bayly, C.I., Darden, T.A., Geballe, M.T., LeBard, D.N., McGann, M., Moon, J.B., Muddana, H.S., Shewmaker, A., LaFon, J., Tolbert, R.W., Skillman, A.G., Nicholls, A. Orion® A Cloud-Native Molecular Design Platform. In *Computational Drug Discovery*. V. Poongavanam and V. Ramaswamy, Eds. Wiley-VCH, 2024; pp. 579–615. DOI: 10.1002/9783527840748.ch24

8.4.2 AFITT and FLYNN Applications

Wlodek, S.; Skillman, A.G.; Nicholls, A. Automated Ligand Placement and Refinement with a Combined Force Field and Shape Potential. *Acta Crystallogr., Sect. D: Struct. Biol.* **2006**, *62* (7), 741–749. DOI: 10.1107/s0907444906016076

8.4.3 OEDocking Application and Toolkit

Kelley, B.P.; Brown, S.P.; Warren, G.L.; Muchmore, S.W. POSIT: Flexible Shape-Guided Docking For Pose Prediction. *J. Chem. Inf. Model.* **2015**, *55* (8), 1771-1780. DOI: 10.1021/acs.jcim.5b00142

McGann, M. FRED Pose Prediction and Virtual Screening Accuracy. *J. Chem. Inf. Model.* **2011**, *51* (3), 578-596. DOI: 10.1021/ci100436p

McGann, M. FRED and HYBRID Docking Performance on Standardized Datasets. *J. Comput.-Aided Mol. Des.* **2012**, *26* (8), 897-906. DOI: 10.1007/s10822-012-9584-8

8.4.4 OMEGA Application and Toolkit

If you are using OMEGA in torsion driving mode, please cite the following two publications.

Hawkins, P.C.D.; Skillman, A.G.; Warren, G.L.; Ellingson, B.A.; Stahl, M.T. Conformer Generation with OMEGA: Algorithm and Validation Using High Quality Structures from the Protein Databank and the Cambridge Structural Database. *J. Chem. Inf. Model.* **2010**, *50* (4), 572-584. DOI: 10.1021/ci100031x

Hawkins, P.C.D. and Nicholls, A. Conformer Generation with OMEGA: Learning from the Data Set and the Analysis of Failures. *J. Chem. Inf. Model.* **2012**, *52* (11), 2919–2936. DOI: /10.1021/ci300314k

If you are using OMEGA in macrocyle mode, please cite the following.

Hawkins, P.C.D. and Wlodek, S. Decisions with Confidence: Application to the Conformation Sampling of Molecules in the Solid State. *J. Chem. Inf. Model.* **2020**, *60* (7), 3518–3533. DOI: /10.1021/acs.jcim.0c00358

8.4.5 ROCS Application

Hawkins, P.C.D.; Skillman, A.G.; Nicholls, A. Comparison of Shape-Matching and Docking as Virtual Screening Tools. *J. Med. Chem.* **2007**, *50* (1), 74-82. DOI: 10.1021/jm0603365

8.5 OpenEye MMDS Web Service

To cite use of the Macromolecular Data Service (MMDS) web service, please use the syntax:

```
Macromolecular Data Service <version-number>. OpenEye, Cadence Molecular Sciences, Santa␣
↪Fe, NM. http://www.eyesopen.com.
```

For example:

```
Macromolecular Data Service 1.1. OpenEye, Cadence Molecular Sciences, Santa Fe, NM.␣
↪http://www.eyesopen.com.
```

The MMDS version number appears on the web service's release notes.

CHAPTER

NINE

TECHNOLOGY LICENSING

OpenEye products use the following technology under license.

Some of the open source technologies we use are licensed under the GNU Public License (GPL) version 2 or 3. In all instances, these technologies are communicated with using the "at arms length" principle, using pipes and command line arguments.

While the software is in some instances assembled into a container, that assembly does not invoke the GPL copyleft scope. For each Floe package where these are used, the environment log clearly details the installed programs and their version numbers. With the links below for each technology, the source for each of those programs is available.

Table 1: Licensed Technology

Name of Project	Website	License URL
_libgcc_mutex	https://github.com/conda-forge/_libgcc_mutex-feedstock	https://github.com/conda-forge/_libgcc_mutex-feedstock/blob/master/LICENSE.txt
_openmp_mutex	https://github.com/conda-forge/_openmp_mutex-feedstock	https://github.com/conda-forge/_openmp_mutex-feedstock/blob/main/LICENSE.txt
ablang2	https://github.com/TobiasHeOl/AbLang2	https://github.com/TobiasHeOl/AbLang2/blob/main/LICENSE
abseil-cpp	https://github.com/abseil/abseil-cpp	https://github.com/abseil/abseil-cpp/blob/master/LICENSE
absl-py	https://github.com/abseil/abseil-py	https://github.com/abseil/abseil-py/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
aiohappyeyeballs	https://github.com/aio-libs/aiohappyeyeballs	https://github.com/aio-libs/aiohappyeyeballs/blob/main/LICENSE
aiohttp	https://docs.aiohttp.org/en/stable/	https://github.com/aio-libs/aiohttp/blob/master/LICENSE.txt
aiosignal	https://github.com/aio-libs/aiosignal	https://github.com/aio-libs/aiosignal/blob/master/LICENSE
Amazon Linux 2	https://aws.amazon.com/amazon-linux-2	N/A
AmberUtils	http://ambermd.org	N/A
ambit	https://github.com/khimaros/ambit	https://github.com/khimaros/ambit/blob/master/LICENSE
amqp	https://github.com/celery/py-amqp	https://github.com/celery/py-amqp/blob/master/LICENSE
anaconda-anon-usage	https://github.com/anaconda/anaconda-anon-usage	https://github.com/anaconda/anaconda-anon-usage/blob/main/LICENSE
angular	https://github.com/angular/angular.js	https://github.com/angular/angular.js/raw/master/LICENSE.md
angular-animate	https://github.com/angular/angular.js	https://github.com/angular/angular.js/raw/master/LICENSE.md
angular-cache	https://github.com/jmdobry/angular-cache	https://github.com/jmdobry/angular-cache/raw/master/LICENSE
angular-cookies	https://github.com/angular/angular.js	https://github.com/angular/angular.js/raw/master/LICENSE.md

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
angular-loggly-logger	https://github.com/ajbrown/angular-loggly-logger	https://github.com/ajbrown/angular-loggly-logger/raw/master/LICENSE.md
angular-mocks	https://github.com/angular/angular.js	https://raw.githubusercontent.com/angular/angular.js/master/LICENSE
angular-resource	https://github.com/angular/angular.js	https://raw.githubusercontent.com/angular/angular.js/master/LICENSE
angular-toggle-switch	https://github.com/cgarvis/angular-toggle-switch	https://github.com/cgarvis/angular-toggle-switch/blob/master/LICENSE
angular-ui-grid	https://github.com/angular-ui/ui-grid	https://github.com/angular-ui/ui-grid
angular-ui-router	https://github.com/angular-ui/ui-router	https://github.com/angular-ui/ui-router/raw/master/LICENSE
angular-ui-tree	https://github.com/angular-ui-tree/angular-ui-tree	https://github.com/angular-ui-tree/angular-ui-tree/raw/master/LICENSE
angular-vs-repeat	https://github.com/kamilkp/angular-vs-repeat	https://raw.githubusercontent.com/kamilkp/angular-vs-repeat/master/LICENSE
aniso8601	https://bitbucket.org/nielsenb/aniso8601	https://bitbucket.org/nielsenb/aniso8601/src/master/LICENSE
annotated-types	https://github.com/annotated-types/annotated-types	https://github.com/annotated-types/annotated-types/blob/main/LICENSE
antlr4-python3-runtime	http://www.antlr.org OR https://pypi.org/project/antlr4-python3-runtin	https://github.com/conda-forge/antlr4-python3-runtin/blob/master/LICENSE.txt

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
anyio	https://github.com/agronholm/anyio	https://github.com/agronholm/anyio/blob/master/LICENSE
appdirs	http://github.com/ActiveState/appdirs	http://github.com/ActiveState/appdirs/blob/master/LICENSE.txt
appengine	https://google.golang.org/appengine	https://github.com/golang/appengine/blob/master/LICENSE
arabic-reshaper	https://github.com/mpcabd/python-arabic-reshape	https://github.com/mpcabd/python-arabic-reshape/blob/master/LICENSE
archspec	https://github.com/archspec/archspec/blob/master/README.md	https://github.com/archspec/archspec/blob/master/COPYRIGHT
argon2-cffi	https://github.com/hynek/argon2-cffi	https://github.com/hynek/argon2-cffi/blob/master/LICENSE
argon2-cffi-bindings	https://github.com/hynek/argon2-cffi-bindings	https://github.com/hynek/argon2-cffi-bindings/blob/master/LICENSE
arpack	https://www.caam.rice.edu/software/ARPACK/	https://www.caam.rice.edu/software/ARPACK/
arrow	https://github.com/arrow-py/arrow	https://github.com/arrow-py/arrow?tab=Apache-2.0-1-ov-file#readme
ascii85	https://github.com/huandu/node-ascii85	https://github.com/huandu/node-ascii85/raw/master/LICENSE
ase	https://wiki.fysik.dtu.dk/ase/	https://wiki.fysik.dtu.dk/ase/development/licenseinfo.html#license-info
asgiref	https://github.com/django/asgiref/	https://github.com/django/asgiref/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
asn1crypto	https://github.com/wbond/asn1crypto	https://github.com/wbond/asn1crypto/blob/master/LICENSE
assertions go-render	https://github.com/smartystreets/assertions/internal/go-render/render	https://github.com/smartystreets/assertions/blob/master/internal/go-render/LICENSE
assertions oglmatchers	https://github.com/smartystreets/assertions/internal/oglematchers	https://github.com/smartystreets/assertions/blob/master/internal/oglematchers/LICENSE
assertions	https://github.com/smartystreets/assertions	https://github.com/smartystreets/assertions/blob/master/LICENSE.md
asttokens	https://github.com/gristlabs/asttokens	https://github.com/gristlabs/asttokens/blob/master/LICENSE
astunparse	https://github.com/simonpercivall/astunparse	https://github.com/simonpercivall/astunparse/blob/master/LICENSE
async-lru	https://github.com/aio-libs/async-lru	https://github.com/aio-libs/async-lru/blob/master/LICENSE
async-timeout	https://github.com/aio-libs/async-timeout	https://github.com/aio-libs/async-timeout/blob/master/LICENSE
atk-1.0	https://docs.gtk.org/atk/	https://gitlab.gnome.org/GNOME/atk/-/blob/master/COPYING
atomic	https://github.com/uber-go/atomic	https://github.com/uber-go/atomic/blob/master/LICENSE.txt

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
atomicwrites	https://github.com/untitaker/python-atomicwrites	https://github.com/untitaker/python-atomicwrites/blob/master/LICENSE
attrs	https://www.attrs.org/	https://github.com/python-attrs/attrs/blob/main/LICENSE
aws-sdk-go	https://github.com/aws/aws-sdk-go	https://github.com/aws/aws-sdk-go/blob/master/LICENSE.txt
babel	https://babel.pocoo.org/ OR https://github.com/python-babel/babel	https://github.com/python-babel/babel/blob/master/LICENSE OR https://babel.pocoo.org/en/latest/license.html#babel-license
Babel	https://github.com/python-babel/babel	https://github.com/python-babel/babel/blob/master/LICENSE
backcall	https://github.com/takluyver/backcall	https://github.com/takluyver/backcall/blob/master/LICENSE
backports	https://github.com/brandon-rhodes/backports	https://github.com/brandon-rhodes/backports/blob/master/LICENSE.TXT
backports.functools-lru-cache	https://github.com/jaraco/backports.functools_lru_cache	https://github.com/jaraco/backports.functools_lru_cache/blob/main/LICENSE
backports.zstd	https://github.com/rogdham/backports.zstd	https://github.com/rogdham/backports.zstd?tab=License-1-ov-file#readme
base62	https://github.com/kare/base62	https://github.com/kare/base62/blob/main/LICENSE
beautifulsoup4	https://www.crummy.com/software/BeautifulSoup/	https://www.crummy.com/software/BeautifulSoup/

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
billiard	https://github.com/celery/billiard	https://github.com/celery/billiard/blob/master/LICENSE.txt
biopython	https://biopython.org	https://github.com/biopython/biopython/blob/master/LICENSE.rst
biotite	https://github.com/biotite-dev/biotite/blob/master/README.rst	https://github.com/biotite-dev/biotite/blob/master/LICENSE.rst
bitarray	https://github.com/ilanschnell/bitarray	https://github.com/ilanschnell/bitarray/blob/master/LICENSE
bitset	https://github.com/willf/bitset	https://github.com/willf/bitset/blob/master/LICENSE
blas	https://www.netlib.org/blas/	https://www.netlib.org/blas/#_licensing
bleach	https://github.com/mozilla/bleach	https://github.com/mozilla/bleach/blob/main/LICENSE
blessings	https://github.com/erikrose/blessings	https://github.com/erikrose/blessings/blob/master/LICENSE
blinker	https://pythonhosted.org/blinker/	https://github.com/pallets-eco/blinker/blob/master/LICENSE
bokeh	https://github.com/bokeh/bokeh	https://github.com/bokeh/bokeh/blob/branch-4.0/LICENSE.txt
blosc	https://github.com/Blosc/python-blosc	https://github.com/Blosc/python-blosc/blob/master/LICENSE.txt
blosc2	https://github.com/Blosc/python-blosc2	https://github.com/Blosc/c-blosc2/blob/main/LICENSE.txt

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
boltons	https://github.com/mahmoud/boltons	https://github.com/mahmoud/boltons/blob/master/LICENSE
Boltz	https://boltz.bio	https://github.com/jwohlwend/boltz/blob/main/LICENSE
boost	https://www.boost.org/doc/libs/1_71_0/libs/python/doc/html/index.html	https://www.boost.org/LICENSE_1_0.txt
boost-cpp	https://www.boost.org/doc/libs/1_71_0/libs/python/doc/html/index.html	https://www.boost.org/LICENSE_1_0.txt
bootstrap-vue	https://github.com/bootstrap-vue/bootstrap-vue	https://github.com/bootstrap-vue/bootstrap-vue/raw/master/LICENSE
boto3	https://github.com/boto/boto3	https://github.com/boto/boto3/blob/develop/LICENSE
botocore	https://github.com/boto/botocore	https://github.com/boto/botocore/blob/develop/LICENSE.txt
Bottleneck	https://bottleneck.readthedocs.io/en/latest/index.html	https://bottleneck.readthedocs.io/en/latest/license.html
Brotli	https://github.com/google/brotli	https://github.com/google/brotli/blob/master/LICENSE
brotli-bin	https://github.com/google/brotli	https://github.com/google/brotli/blob/master/LICENSE
brotli-python	http://python-hyper.org/projects/brotlipy/en/latest/	https://github.com/python-hyper/brotlicffi/blob/main/LICENSE
brotlicffi	https://github.com/python-hyper/brotlicffi	https://github.com/python-hyper/brotlicffi?tab=MIT-1-ov-file#readme
brotlipy	https://github.com/python-hyper/brotlicffi	https://github.com/python-hyper/brotlicffi/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
bson	http://github.com/py-bson/bson	https://github.com/py-bson/bson/blob/master/LICENSE_APACHE
bytefmt	https://code.cloudfoundry.org/bytefmt	https://github.com/cloudfoundry/bytefmt/blob/master/LICENSE
bzip2	https://www.bzip.org	https://spdx.org/licenses/bzip2-1.0.6.html
c-ares	https://github.com/c-ares/c-ares	https://github.com/c-ares/c-ares/blob/main/LICENSE.md
ca-certificates	https://github.com/conda-forge/ca-certificates-feedsto	https://wiki.mozilla.org/CA/Included_Certificates
cached-property	https://github.com/pydanny/cached-property	https://github.com/pydanny/cached-property/blob/master/LICENSE
cachetools	https://github.com/tkem/cachetools/	https://github.com/tkem/cachetools/blob/master/LICENSE
cairo	https://pycairo.readthedocs.io/en/latest/	https://github.com/pygobject/pycairo/blob/master/COPYING
canvas	https://github.com/Automattic/node-canvas	https://github.com/Automattic/node-canvas
cctbx	https://github.com/cctbx/cctbx_project	https://github.com/cctbx/cctbx_project/blob/master/cctbx/LICENSE_2_0.txt
celery	https://github.com/celery/celery	https://github.com/celery/celery/blob/master/LICENSE
Cerberus	https://docs.python-cerberus.org/en/stable/	https://docs.python-cerberus.org/en/stable/license.html
certifi	https://certifiio.readthedocs.io/en/latest/	https://wiki.mozilla.org/index.php?title=CA/IncludedCertificates&redirect=no

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
cffi	https://github.com/python-cffi	https://github.com/cffi/cffi/blob/master/COPYRIGHT
cftime	https://pypi.org/project/cftime/	https://github.com/Unidata/cftime/blob/master/LICENSE
chardet	https://github.com/chardet/chardet	https://github.com/chardet/chardet/blob/master/LICENSE
charset-normalizer	https://github.com/ousret/charset_normalizer	https://github.com/Ousret/charset_normalizer/blob/master/LICENSE
ChEMBL Structure Pipeline	https://github.com/chembl/ChEMBL_Structure_Pipeline/tree/master	https://github.com/chembl/ChEMBL_Structure_Pipeline/blob/master/LICENSE
choreographer	https://github.com/mazpie/choreographer	https://github.com/mazpie/choreographer/blob/main/LICENSE
chunkreader	https://github.com/jackc/chunkreader/v2	https://github.com/jackc/chunkreader/blob/master/LICENSE
click	https://palletsprojects.com/p/click/	https://github.com/pallets/click/blob/main/LICENSE.rst
click-completion	https://github.com/click-contrib/click-completion	https://github.com/click-contrib/click-completion/blob/master/LICENSE
click-didyoumean	https://github.com/click-contrib/click-didyoumean	https://github.com/click-contrib/click-didyoumean/blob/master/LICENSE
click-plugins	https://github.com/click-contrib/click-plugins	https://github.com/click-contrib/click-plugins/blob/master/LICENSE.txt

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
click-repl	https://github.com/untitaker/click-repl	https://github.com/click-contrib/click-repl/blob/master/LICENSE
cloudpickle	https://github.com/cloudpipe/cloudpickle	https://github.com/cloudpipe/cloudpickle/blob/master/LICENSE
cmake	https://cmake.org/	https://cmake.org/licensing/
colorama	https://github.com/tartley/colorama	https://github.com/tartley/colorama/blob/master/LICENSE.txt
comm	https://github.com/ipython/comm	https://github.com/ipython/comm/blob/master/LICENSE
compose	https://github.com/docker/compose	https://github.com/docker/compose/blob/v2/LICENSE
conda-content-trust	https://github.com/conda/conda-content-trust	https://github.com/conda/conda-content-trust/blob/main/LICENSE
conda-libmamba-solver	https://github.com/conda/conda-libmamba-solv	https://github.com/conda/conda-libmamba-solv blob/main/LICENSE
conda-pack	https://conda.github.io/conda-pack/	https://github.com/conda/conda-pack/blob/main/LICENSE.txt
conda-package-handling	https://github.com/conda/conda-package-handli	https://github.com/conda/conda-package-handli blob/main/LICENSE
conda-package-streaming	https://anaconda.org/conda-forge/conda-package-strean	https://github.com/conda/conda-package-strean blob/main/LICENSE
conda-token	https://anaconda.org/anaconda/conda-token	https://anaconda.org/anaconda/conda-token

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
conda_package_strear	https://github.com/conda/conda-package-streamtree/main/conda_package_streaming	https://github.com/conda/conda-package-streamtab=License-1-ov-file
confuse	https://github.com/beetbox/confuse	https://github.com/beetbox/confuse/blob/main/LICENSE
contourpy	https://github.com/contourpy/contourpy	https://github.com/contourpy/contourpy/blob/main/LICENSE
cpp-expected	https://github.com/TartanLlama/expected	https://github.com/TartanLlama/expected?tab=CC0-1.0-1-ov-file#readme
cpp-peglib	https://github.com/yhirose/cpp-peglib	https://github.com/yhirose/cpp-peglib/blob/master/LICENSE
cryptography	https://github.com/pyca/cryptography	https://github.com/pyca/cryptography/blob/main/LICENSE
cssselect2	https://github.com/Kozea/cssselect2/	https://github.com/Kozea/cssselect2/blob/master/LICENSE
cuda-bindings	https://nvidia.github.io/cuda-python/cuda-bindings/latest/install.html	https://github.com/NVIDIA/cuda-python/blob/main/cuda_bindings/LICENSE
cuda-pathfinder	https://nvidia.github.io/cuda-python/cuda-pathfinder/latest/	https://nvidia.github.io/cuda-python/cuda-pathfinder/latest/license.html
cudatoolkit	https://developer.nvidia.com/cuda-toolkit	https://docs.nvidia.com/cuda/eula/index.html
cuequivariance-ops-cu12	https://developer.nvidia.com/cuequivariance	https://github.com/NVIDIA/cuEquivariance/blob/main/LICENSES/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
cuequivariance-ops-torch-cu12	https://developer.nvidia.com/cuequivariance	https://github.com/NVIDIA/cuEquivariance/blob/main/LICENSES/LICENSE
cuequivariance-torch	https://docs.nvidia.com/cuda/cuequivariance/	https://github.com/NVIDIA/cuEquivariance/blob/main/LICENSES/LICENSE
cupy-cuda113	https://cupy.dev/	https://github.com/cupy/cupy/blob/main/LICENSE
cupy-cuda11x	https://cupy.dev/	https://github.com/cupy/cupy/?tab=MIT-1-ov-file#readme
curl	https://curl.se	https://curl.se/docs/copyright.html
cycler	https://github.com/matplotlib/cycler	https://github.com/matplotlib/cycler/blob/main/LICENSE
cyrus-sasl	https://github.com/cyrusimap/cyrus-sasl	https://github.com/cyrusimap/cyrus-sasl/blob/master/COPYING
Cython	https://cython.org	https://www.apache.org/licenses/LICENSE-2.0.html
d3	https://github.com/mbostock/d3	https://github.com/mbostock/d3/raw/master/LICENSE
dataclasses	https://github.com/ericvsmith/dataclasses	https://github.com/ericvsmith/dataclasses/blob/master/LICENSE.txt
ddsketch	http://github.com/datadog/sketches-py	https://github.com/DataDog/sketches-py/blob/master/LICENSE
debugpy	https://aka.ms/debugpy	https://github.com/microsoft/debugpy/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
decimal	https://github.com/shopspring/decimal	https://github.com/shopspring/decimal/blob/master/LICENSE
decorator	https://github.com/micheles/decorator	https://github.com/micheles/decorator/blob/master/LICENSE.txt
deepdiff	https://github.com/seperman/deepdiff	https://github.com/seperman/deepdiff/blob/master/LICENSE
deeptime	https://github.com/deeptime-ml/deeptime	https://github.com/deeptime-ml/deeptime/blob/main/LICENSE.txt
defusedxml	https://github.com/tiran/defusedxml	https://github.com/tiran/defusedxml/blob/main/LICENSE
dftd3	https://github.com/dftd3/tad-dftd3	https://github.com/dftd3/tad-dftd3/blob/main/LICENSE
dill	https://github.com/uqfoundation/dill	https://github.com/uqfoundation/dill/blob/master/LICENSE
distlib	https://distlib.readthedocs.io/en/latest/	https://github.com/pypa/distlib/blob/master/LICENSE.txt
distro	https://github.com/python-distro/distro	https://github.com/python-distro/distro/blob/master/LICENSE
Django	https://www.djangoproject.com/	https://github.com/django/django/blob/main/LICENSE
django-classy-tags	https://github.com/django-cms/django-classy-tags	https://github.com/django-cms/django-classy-tags/blob/master/LICENSE
django-cors-headers	https://github.com/adamchainz/django-cors-headers	https://github.com/adamchainz/django-cors-headers/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
django-csp	https://github.com/mozilla/django-csp	https://github.com/mozilla/django-csp/blob/main/LICENSE
django-extensions	https://github.com/django-extensions/django-extensions	https://github.com/django-extensions/django-extensions/blob/main/LICENSE
django-filter	https://github.com/carltongibson/django-filter/tree/master	https://github.com/carltongibson/django-filter/blob/main/LICENSE
django-redis	https://github.com/jazzband/django-redis	https://github.com/jazzband/django-redis/blob/master/LICENSE
django-taggit	https://github.com/jazzband/django-taggit	https://github.com/jazzband/django-taggit/blob/master/LICENSE
django-taggit-serializer	https://github.com/glemmaPaul/django-taggit-serializ	https://github.com/glemmaPaul/django-taggit-serializ blob/master/LICENSE
django-taggit-templatetags2	https://github.com/fizista/django-taggit-templat	https://github.com/fizista/django-taggit-templat blob/master/LICENSE.txt
djangorestframework	https://www.django-rest-framework.org/	https://github.com/encode/django-rest-framework blob/master/LICENSE.md
dkh	https://psicode.org/psi4manual/master/dkh.html	https://github.com/psi4/dkh/blob/master/COPYING.LESSER
dm-tree	https://github.com/deepmind/tree	https://github.com/deepmind/tree/blob/master/LICENSE
docker-py	https://github.com/docker/docker-py/	https://github.com/docker/docker-py/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
docker-pycreds	https://github.com/shin-/dockerpy-creds	https://github.com/shin-/dockerpy-creds/blob/master/LICENSE
docopt	https://docopt.org	https://github.com/docopt/docopt/blob/master/LICENSE-MIT
docutils	https://docutils.sourceforge.io	https://docutils.sourceforge.io/COPYING.html
drf-dynamic-fields	https://github.com/dbrgn/drf-dynamic-fields	https://github.com/dbrgn/drf-dynamic-fields/blob/master/LICENSE
DuckDB	https://duckdb.org/	https://github.com/duckdb/duckdb?tab=MIT-1-ov-file#readme
edgembar	https://rutgerslbsr.gitlab.io/fe-toolkit/edgembar/index.html	https://gitlab.com/RutgersLBSR/fe-toolkit/-/blob/master/LICENSE
editdistance	https://github.com/roy-ht/editdistance	https://github.com/roy-ht/editdistance/blob/master/LICENSE
eigen	https://eigen.tuxfamily.org/index.php?title=Main_Page	https://eigen.tuxfamily.org/index.php?title=Main_Page#License
einops	https://github.com/arogozhnikov/einops	https://github.com/arogozhnikov/einops/blob/master/LICENSE
einx	https://github.com/fferflo/einx	https://github.com/fferflo/einx/blob/master/LICENSE
entrypoints	https://github.com/takluyver/entrypoints	https://github.com/takluyver/entrypoints/blob/master/LICENSE
errors	https://github.com/pkg/errors	https://github.com/pkg/errors/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
eslint-plugin	https://github.com/typescript-eslint/typescript-eslint	https://github.com/typescript-eslint/typescript-eslint/raw/master/LICENSE
et_xmlfile	https://foss.heptapod.net/openpyxl/et_xmlfile	https://foss.heptapod.net/openpyxl/et_xmlfile/-/blob/branch/default/LICENCE.rst
exceptiongroup	https://github.com/agronholm/exceptiongroup	https://github.com/agronholm/exceptiongroup/blob/main/LICENSE
execnet	https://execnet.readthedocs.io/en/latest/	https://github.com/pytest-dev/execnet/blob/master/LICENSE
executing	https://github.com/alexmojaki/executing	https://github.com/alexmojaki/executing/blob/master/LICENSE.txt
expat	https://libexpat.github.io	https://github.com/libexpat/libexpat/blob/master/expat/COPYING
fairscale	https://github.com/facebookresearch/fairscale	https://github.com/facebookresearch/fairscale/blob/main/LICENSE
fairseq	https://github.com/pytorch/fairseq	https://github.com/facebookresearch/fairseq/blob/main/LICENSE
fastjsonschema	https://github.com/horejsek/python-fastjsonschem	https://github.com/horejsek/python-fastjsonschem/blob/master/LICENSE
fastrlock	https://github.com/scoder/fastrlock	https://github.com/scoder/fastrlock/blob/master/LICENSE
fftw	https://www.fftw.org	commercial license

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
filebuffer	https://github.com/mattetti/filebuffer	https://github.com/mattetti/filebuffer/blob/master/LICENSE
filelock	https://py-filelock.readthedocs.io/en/latest/index.html	https://github.com/tox-dev/py-filelock/blob/main/LICENSE
finufft	https://github.com/flatironinstitute/finufft	https://github.com/flatironinstitute/finufft/blob/master/LICENSE
Flask	https://flask.palletsprojects.com/en/2.1.x/	https://flask.palletsprojects.com/en/2.1.x/license/
flatbuffers	https://google.github.io/flatbuffers/	https://github.com/google/flatbuffers/blob/master/LICENSE.txt
flexcache	https://github.com/hgrecco/flexcache	https://github.com/hgrecco/flexcache/blob/main/LICENSE
flexparser	https://github.com/hgrecco/flexparser	https://github.com/hgrecco/flexparser/blob/main/LICENSE
flit-core	https://github.com/pypa/flit	https://github.com/scientific-python/lazy_loader/blob/main/LICENSE.md
FLTK	https://www.fltk.org/index.php	https://www.fltk.org/COPYING.php
fmt	https://fmt.dev/latest/index.html	https://github.com/fmtlib/fmt/blob/master/LICENSE.rst
font-awesome	https://github.com/FortAwesome/Font-Awesome	https://github.com/FortAwesome/Font-Awesome
font-ttf-dejavu-sans-mono	https://dejavu-fonts.github.io	https://dejavu-fonts.github.io/License.html
font-ttf-inconsolata	https://fonts.google.com/specimen/Inconsolata	https://scripts.sil.org/cms/scripts/page.php?site_id=nrsi&id=OFL

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
font-ttf-source-code-pro	https://fonts.google.com/specimen/Source+Code+Pro	https://scripts.sil.org/cms/scripts/page.php?site_id=nrsi&id=OFL
font-ttf-ubuntu	https://fonts.google.com/specimen/Ubuntu	https://ubuntu.com/legal/font-licence
fontconfig	https://www.freedesktop.org/wiki/Software/fontconfig/	https://gitlab.freedesktop.org/fontconfig/fontconfig/-/blob/main/COPYING
fonts-conda-ecosystem	https://anaconda.org/conda-forge/fonts-conda-ecosyster	https://docs.conda.io/en/latest/license.html
fonts-conda-forge	https://anaconda.org/conda-forge/fonts-conda-forge/	https://creativecommons.org/licenses/by/4.0/
fonttools	https://github.com/fonttools/fonttools	https://github.com/fonttools/fonttools/blob/main/LICENSE
forcebalance	https://simtk.org/home/forcebalance OR https://github.com/leeping/forcebalance	https://github.com/leeping/forcebalance/blob/master/LICENSE
fqdn	https://github.com/ypcrts/fqdn	https://github.com/ypcrts/fqdn?tab=MPL-2.0-1-ov-file#readme
freetype	https://freetype.org	https://freetype.org/license.html
freetype-py	https://github.com/rougier/freetype-py	https://github.com/rougier/freetype-py?tab=License-1-ov-file#readme
fribidi	https://github.com/fribidi/fribidi	https://github.com/fribidi/fribidi/blob/master/COPYING
frozendict	https://github.com/Marco-Sulla/python-frozendict	https://github.com/Marco-Sulla/python-frozendict/blob/master/LICENSE.txt
frozenlist	https://github.com/aio-libs/frozenlist	https://github.com/aio-libs/frozenlist/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
fsmlite	https://github.com/tkem/fsmlite	https://github.com/tkem/fsmlite/blob/master/LICENSE
fsspec	https://github.com/fsspec/filesystem_spec	https://github.com/fsspec/filesystem_spec/blob/master/LICENSE
funcy	https://github.com/Suor/funcy	https://github.com/Suor/funcy/blob/master/LICENSE
gast	https://github.com/serge-sans-paille/gast/	https://github.com/serge-sans-paille/gast/blob/master/LICENSE
gau2grid	https://github.com/dgasmith/gau2grid	https://github.com/dgasmith/gau2grid/blob/master/LICENSE
gax-go	https://github.com/googleapis/gax-go/v2	https://github.com/googleapis/gax-go/blob/main/LICENSE
gdk-pixbuf	https://gitlab.gnome.org/GNOME/gdk-pixbuf	https://gitlab.gnome.org/GNOME/gdk-pixbuf/-/blob/master/COPYING
gemmi	https://gemmi.readthedocs.io/en/latest/	https://github.com/project-gemmi/gemmi/blob/master/LICENSE.txt
genproto	https://google.golang.org/genproto/googleapis	https://github.com/googleapis/go-genproto/blob/main/LICENSE
geometric	https://openbase.com/python/geometric	https://openbase.com/python/geometric
giflib	https://giflib.sourceforge.net	https://github.com/mirrorer/giflib/blob/master/COPYING
gitdb	https://github.com/gitpython-developers/gitdb	https://github.com/gitpython-developers/gitdb/blob/master/LICENSE
GitPython	https://github.com/gitpython-developers/GitPython	https://github.com/gitpython-developers/GitPython/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
glib	https://docs.gtk.org/glib/	https://gitlab.gnome.org/GNOME/glib/-/blob/main/LICENSES/LGPL-2.1-or-later.txt
GLM Library	https://github.com/g-truc/glm	https://github.com/g-truc/glm/blob/master/manual.md#section0
gls	https://github.com/jtolds/gls	https://github.com/jtolds/gls/blob/master/LICENSE
gmpy2	https://github.com/aleaxit/gmpy	https://github.com/gmpy2/gmpy2/blob/master/COPYING.LESSER
go-cleanhttp	https://github.com/hashicorp/go-cleanhttp	https://github.com/hashicorp/go-cleanhttp/blob/master/LICENSE
go-connections	https://github.com/docker/go-connections	https://github.com/docker/go-connections/blob/master/LICENSE
go-cpio	https://github.com/cavaliercoder/go-cpio	https://github.com/cavaliercoder/go-cpio/blob/master/LICENSE
go-getter	https://github.com/hashicorp/go-getter	https://github.com/hashicorp/go-getter/blob/master/LICENSE
go-homedir	https://github.com/mitchellh/go-homedir	https://github.com/mitchellh/go-homedir/blob/master/LICENSE
go-ini	https://github.com/go-ini/ini	https://github.com/go-ini/ini/blob/master/LICENSE
go-jmespath	https://github.com/jmespath/go-jmespath	https://github.com/jmespath/go-jmespath/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
go-junit-report	https://github.com/jstemmer/go-junit-report	https://github.com/jstemmer/go-junit-report/blob/master/LICENSE
go-netrc	https://github.com/bgentry/go-netrc/netrc	https://github.com/bgentry/go-netrc/blob/master/LICENSE
go-ole	https://github.com/go-ole/go-ole	https://github.com/go-ole/go-ole/blob/master/LICENSE
go-pg	https://github.com/go-pg/pg	https://github.com/go-pg/pg/blob/master/LICENSE
go-redis	https://github.com/go-redis/redis/v8	https://github.com/go-redis/redis/blob/master/LICENSE
go-rendezvous	https://github.com/dgryski/go-rendezvous	https://github.com/dgryski/go-rendezvous/blob/master/LICENSE
go-safetemp	https://github.com/hashicorp/go-safetemp	https://github.com/hashicorp/go-safetemp/blob/master/LICENSE
go-sysconf	https://github.com/tklauser/go-sysconf	https://github.com/tklauser/go-sysconf/blob/master/LICENSE
go-testing-interface	https://github.com/mitchellh/go-testing-interface	https://github.com/mitchellh/go-testing-interface/blob/master/LICENSE
go-units	https://github.com/docker/go-units	https://github.com/docker/go-units/blob/master/LICENSE
go-version	https://github.com/hashicorp/go-version	https://github.com/hashicorp/go-version/blob/master/LICENSE
go-zglob	https://github.com/mattn/go-zglob	https://github.com/mattn/go-zglob/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
go.opencensus	https://go.opencensus.io	https://github.com/census-instrumentatio opencensus-go/blob/master/LICENSE
gobrake.v2	https://gopkg.in/airbrake/gobrake.v2	https://github.com/airbrake/gobrake/blob/v2.0.9/LICENSE
goconvey	https://github.com/smartystreets/goconvey	https://github.com/smartystreets/goconvey/blob/master/LICENSE.md
golden-layout	https://github.com/deepstreamIO/golden-layout	https://github.com/deepstreamIO/golden-layout/raw/master/LICENSE
google-auth	https://google-auth.readthedocs.io/en/master/	https://github.com/GoogleCloudPlatform google-auth-library-p blob/master/LICENSE
google-auth-oauthlib	https://github.com/googleapis/google-auth-library-p	https://github.com/googleapis/google-auth-library-p blob/main/LICENSE
google-cloud-go	https://cloud.google.com/go	https://github.com/googleapis/google-cloud-go/blob/main/LICENSE
google-cloud-go/storage	https://cloud.google.com/go/storage	https://github.com/googleapis/google-cloud-go/blob/main/LICENSE
google-pasta	https://github.com/google/pasta	https://github.com/google/pasta/blob/master/LICENSE
google.golang.org/api	https://google.golang.org/api	https://github.com/googleapis/google-api-go-client/blob/main/LICENSE
gopsutil	https://github.com/shirou/gopsutil	https://github.com/shirou/gopsutil/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
gorilla websocket	https://github.com/gorilla/websocket	https://github.com/gorilla/websocket/blob/master/LICENSE
gpytorch	https://gpytorch.ai	https://github.com/cornellius-gp/gpytorch?tab=MIT-1-ov-file#readme
graphite2	https://github.com/silnrsi/graphite	https://github.com/silnrsi/graphite/blob/master/LICENSE
graphviz	https://graphviz.org/	https://graphviz.org/license/
greenlet	https://greenlet.readthedocs.io/en/latest/	https://github.com/python-greenlet/greenlet/blob/master/LICENSE
groupcache	https://github.com/golang/groupcache	https://github.com/golang/groupcache/blob/master/LICENSE
grpc	https://google.golang.org/grpc	https://github.com/grpc/grpc-go/blob/master/LICENSE
grpc-cpp	https://github.com/grpc/grpc	https://github.com/grpc/grpc/blob/master/LICENSE
grpcio	https://github.com/grpc/grpc.io/blob/main/LICENSE	https://github.com/grpc/grpc.io/blob/main/LICENSE
gtk2	https://gitlab.gnome.org/GNOME/gtk	https://gitlab.gnome.org/GNOME/gtk/-/blob/main/COPYING
gts	https://sourceforge.net/projects/gts/	https://www.gnu.org/licenses/lgpl-3.0.html
h11	https://github.com/python-hyper/h11	https://github.com/python-hyper/h11/blob/master/LICENSE.txt
h2	https://github.com/python-hyper/h2	https://github.com/python-hyper/h2?tab=MIT-1-ov-file#readme

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
h5py	https://www.h5py.org	https://docs.h5py.org/en/stable/licenses.html
harfbuzz	https://github.com/harfbuzz/harfbuzz	https://github.com/harfbuzz/harfbuzz/blob/main/COPYING
hdbscan	https://hdbscan.readthedocs.io/en/latest/	https://github.com/scikit-learn-contrib/hdbscan/blob/master/LICENSE
hdf4	https://www.hdfgroup.org/solutions/hdf4/	https://github.com/HDFGroup/hdf4/blob/master/COPYING
hdf5	https://www.hdfgroup.org/solutions/hdf5/	https://github.com/HDFGroup/hdf5/blob/master/COPYING
he	https://github.com/mathiasbynens/he	https://github.com/mathiasbynens/he/raw/master/LICENSE-MIT.txt
hpack	https://github.com/python-hyper/hpack	https://github.com/python-hyper/hpack?tab=MIT-1-ov-file#readme
html-loader	https://github.com/webpack-contrib/html-loader	https://github.com/webpack-contrib/html-loader/raw/master/LICENSE
html5lib	https://github.com/html5lib/html5lib-python	https://github.com/html5lib/html5lib-python/blob/master/LICENSE
htslib	https://www.htslib.org	https://github.com/samtools/htslib/blob/develop/LICENSE
httpcore	https://www.encode.io/httpcore/	https://github.com/encode/httpcore/blob/master/LICENSE.md
httpx	https://github.com/encode/httpx	https://github.com/encode/httpx/blob/master/LICENSE.md

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
humanize	https://github.com/jmoiron/humanize	https://github.com/jmoiron/humanize/blob/master/LICENCE
hydra-core	https://github.com/facebookresearch/hydra	https://github.com/facebookresearch/hydra/blob/main/LICENSE
hyperframe	https://github.com/python-hyper/hyperframe	https://github.com/python-hyper/hyperframe?tab=MIT-1-ov-file#readme
icu	https://github.com/unicode-org/icu	https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE
idna	https://github.com/kjd/idna	https://github.com/kjd/idna/blob/master/LICENSE.md
ihm	https://github.com/ihmwg/python-ihm	https://github.com/ihmwg/python-ihm/blob/main/LICENSE
imageio	https://github.com/imageio/imageio	https://github.com/imageio/imageio/blob/master/LICENSE
imagesize	https://github.com/shibukawa/imagesize_py	https://github.com/shibukawa/imagesize_py/blob/master/LICENSE.rst
ImmuneBuilder	https://github.com/oxpig/ImmuneBuilder/tree/main	https://github.com/oxpig/ImmuneBuilder/blob/main/LICENSE
importlib-metadata	https://github.com/python/importlib_metadata	https://github.com/python/importlib_metadata/blob/main/LICENSE
importlib_metadata	https://github.com/python/importlib_metadata	https://github.com/python/importlib_metadata/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
importlib_resources	https://github.com/python/importlib_resources	https://github.com/python/importlib_resources/blob/main/LICENSE
InChI	https://iupac.org/who-we-are/divisions/division-details/inchi/	https://iupac.org/wp-content/uploads/2021/06/iupac-inchi-license_2020.pdf
inflection	https://github.com/jinzhu/inflection	https://github.com/jinzhu/inflection/blob/master/LICENSE
ini.v1	https://gopkg.in/ini.v1	https://github.com/go-ini/ini/blob/v1.66.2/LICENSE
iniconfig	https://github.com/pytest-dev/iniconfig	https://github.com/pytest-dev/iniconfig/blob/main/LICENSE
innersvg-polyfill	https://github.com/dnozay/innersvg-polyfill	https://github.com/dnozay/innersvg-polyfill/raw/master/LICENSE
intel-openmp	https://github.com/hermitcore/libomp_oss	https://github.com/hermitcore/libomp_oss/blob/hermit/LICENSE.txt
ipykernel	https://ipython.org	https://ipython.org
ipython	https://ipython.org	https://github.com/ipython/ipython/blob/master/LICENSE
ipython-genutils	http://ipython.org	https://github.com/ipython/ipython_genutils/blob/master/COPYING.md
ipython_pygments_le	https://github.com/ipython/ipython-pygments-lex	https://github.com/ipython/ipython-pygments-lex blob/main/LICENSE
ipywidgets	http://jupyter.org	https://github.com/jupyter-widgets/ipywidgets/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
isodate	https://github.com/gweis/isodate/	https://github.com/gweis/isodate/blob/master/LICENSE
isoduration	https://github.com/bolsote/isoduration	https://github.com/bolsote/isoduration?tab=ISC-1-ov-file#readme
itsdangerous	https://palletsprojects.com/p/itsdangerous/	https://itsdangerous.palletsprojects.com/en/2.1.x/license/
jax	https://github.com/google/jax	https://github.com/google/jax/blob/main/LICENSE
jaxlib	https://github.com/google/jax	https://github.com/google/jax/blob/main/LICENSE
jaxtyping	https://github.com/patrick-kidger/jaxtyping	https://github.com/patrick-kidger/jaxtyping?tab=License-1-ov-file#readme
jedi	https://jedi.readthedocs.io/en/latest/	https://github.com/davidhalter/jedi/blob/master/LICENSE.txt
Jinja2	https://palletsprojects.com/p/jinja/	https://github.com/pallets/jinja/blob/main/LICENSE.rst
jmespath	https://github.com/jmespath/jmespath.py	https://github.com/jmespath/jmespath.py/blob/develop/LICENSE.txt
joblib	https://joblib.readthedocs.io/en/latest/	https://github.com/joblib/joblib/blob/master/LICENSE.txt
jpeg	https://www.ijg.org	https://www.ijg.org/files/README
json5	https://github.com/dpranke/pyjson5	https://github.com/dpranke/pyjson5/blob/main/LICENSE
jsonfield	https://github.com/dmkoch/django-jsonfield/	https://github.com/rpkilby/jsonfield/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
jsonpatch	https://github.com/stefankoegl/python-json-patch	https://github.com/stefankoegl/python-json-patch/blob/master/LICENSE
jsonpickle	https://github.com/jsonpickle/jsonpickle	https://github.com/jsonpickle/jsonpickle/blob/main/LICENSE
jsonpointer	https://github.com/stefankoegl/python-json-pointer	https://github.com/stefankoegl/python-json-pointer/blob/master/LICENSE.txt
jsonschema	https://github.com/python-jsonschema/jsonschema	https://github.com/python-jsonschema/jsonschema/blob/master/COPYING
jsonschema-specifications	https://github.com/python-jsonschema/jsonschema-specificat	https://github.com/python-jsonschema/jsonschema-specificat blob/main/COPYING
jstat	https://github.com/jstat/jstat	https://www.opensource.org/licenses/mit-license.php
jupyter-client	https://jupyter.org	https://github.com/jupyter/jupyter_client/blob/main/COPYING.md
jupyter-core	https://jupyter.org	https://github.com/jupyter/jupyter_core/blob/master/COPYING.md
jupyter-events	https://github.com/jupyter/jupyter_events	https://github.com/jupyter/jupyter_events/blob/main/LICENSE
jupyter-lsp	https://github.com/jupyter-lsp/jupyterlab-lsp	https://github.com/jupyter-lsp/jupyterlab-lsp
jupyter-serverhttp://jupyter.or	https://github.com/jupyter-server/jupyter_server/blob/main/LICENSE	
jupyter_client	http://jupyter.org	https://github.com/jupyter/jupyter_client/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
jupyter_core	http://jupyter.org	https://github.com/jupyter/jupyter_core/blob/master/LICENSE
jupyter_server	https://github.com/jupyter-server/jupyter_server	https://github.com/jupyter-server/jupyter_server/blob/main/LICENSE
jupyter_server_termin	https://github.com/jupyter-server/jupyter_server_terminals	https://github.com/jupyter-server/jupyter_server_terminals/blob/main/LICENSE
jupyterlab	https://github.com/jupyterlab/jupyterlab	https://github.com/jupyterlab/jupyterlab/blob/main/LICENSE
jupyterlab-pygments	http://jupyter.org	https://github.com/jupyterlab/jupyterlab_pygments/blob/main/LICENSE
jupyterlab-widgets	http://jupyter.org	https://github.com/jupyter-widgets/ipywidgets/blob/master/LICENSE
jupyter-lab_pygments	https://github.com/jupyterlab/jupyterlab_pygments	https://github.com/jupyterlab/jupyterlab_pygments?tab=BSD-3-Clause-1-ov-file#readme
jupyterlab_server	https://github.com/jupyterlab/jupyterlab_server	https://github.com/jupyterlab/jupyterlab_server/blob/main/LICENSE
jupyterlab_widgets	https://github.com/jupyter-widgets/ipywidgets	https://github.com/jupyter-widgets/ipywidgets?tab=BSD-3-Clause-1-ov-file#readme
kaleido	https://github.com/plotly/Kaleido	https://github.com/plotly/Kaleido/blob/master/LICENSE.txt
keras	https://github.com/keras-team/keras	https://github.com/keras-team/keras/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
Keras-Preprocessing	https://github.com/keras-team/keras-preprocessing	https://github.com/keras-team/keras-preprocessing/blob/master/LICENSE
keras-tuner	https://github.com/keras-team/keras-tuner	https://github.com/keras-team/keras-tuner/blob/master/LICENSE
keyring	https://github.com/jaraco/keyring	https://github.com/jaraco/keyring/blob/main/LICENSE
keyutils	https://github.com/sassoftware/python-keyutils	https://github.com/sassoftware/python-keyutils/blob/master/LICENSE
kiwisolver	https://kiwisolver.readthedocs.io/en/latest/	https://github.com/nucleic/kiwi/blob/main/LICENSE
kombu	https://kombu.readthedocs.io	https://github.com/celery/kombu/blob/master/LICENSE
krb5	https://web.mit.edu/kerberos/	https://github.com/krb5/krb5/blob/master/src/lib/gssapi/LICENSE
kt-legacy	https://github.com/haifeng-jin/kt-legacy	https://github.com/haifeng-jin/kt-legacy/blob/main/LICENSE
lark	https://github.com/lark-parser/lark	https://github.com/lark-parser/lark?tab=MIT-1-ov-file#readme
lazy_loader	https://github.com/scientific-python/lazy_loader	https://github.com/scientific-python/lazy_loader/blob/main/LICENSE.md
lcms2	https://www.littlecms.com	https://github.com/sk1project/python-lcms2/blob/master/LICENSE
legacy-cgi	https://github.com/jackrosenthal/legacy-cgi	https://github.com/jackrosenthal/legacy-cgi?tab=License-1-ov-file#readme

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
lerc	https://github.com/Esri/lerc	https://github.com/Esri/lerc/blob/master/LICENSE
libarchive	http://www.libarchive.org	https://raw.githubusercontent.com/libarchive/libarchive/master/COPYING
libblas	https://www.netlib.org/blas/	https://www.netlib.org/blas/#_licensing
libbrotlicommon	https://github.com/google/brotli	https://github.com/google/brotli/blob/master/LICENSE
libbrotlidec	https://github.com/google/brotli	https://github.com/google/brotli/blob/master/LICENSE
libbrotlienc	https://github.com/google/brotli	https://github.com/google/brotli/blob/master/LICENSE
libcblas	https://anaconda.org/conda-forge/libcblas	N/A
libclang	https://github.com/sighingnow/libclang	https://github.com/sighingnow/libclang/blob/master/LICENSE.TXT
libcurl	https://curl.se/libcurl/	https://curl.se/docs/copyright.html
libcxx	https://github.com/llvm-mirror/libcxx	https://github.com/llvm-mirror/libcxx/blob/master/LICENSE.TXT
libdb	https://www.oracle.com/technology/software/products/berkeley-db/index.html	https://github.com/berkeleydb/libdb/blob/master/LEGAL
libdeflate	https://github.com/ebiggers/libdeflate	https://github.com/ebiggers/libdeflate/blob/master/COPYING
libedit	https://thrysoee.dk/editline/	http://www.netbsd.org/Goals/redistribution.html
libev	https://software.schmorp.de/pkg/libev.html	https://software.schmorp.de/pkg/libev.html

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
libexpat	https://libexpat.github.io/	https://github.com/libexpat/libexpat?tab=MIT-1-ov-file#readme
libffi	https://github.com/libffi/libffi	https://github.com/libffi/libffi/blob/master/LICENSE
libgcc	https://gcc.gnu.org/onlinedocs/gccint/Libgcc.html	https://gcc.gnu.org/onlinedocs/libstdc++/manual/license.html
libgcrypt	https://gnupg.org/software/index.html	https://git.gnupg.org/cgi-bin/gitweb.cgi?p=libgcrypt.git;a=blob;f=COPYING.LIB;hb=HEAD
libgd	https://libgd.github.io	https://libgd.github.io/manuals/2.2.1/files/license-txt.html
libglib	https://github.com/PolMine/libglib	https://github.com/PolMine/libglib/blob/master/include/glib-2.0/glib.h
libiconv	https://www.gnu.org/software/libiconv/	https://www.gnu.org/software/libiconv/#downloading
libint	https://tinyurl.com/yvw97wbw	https://tinyurl.com/yvw97wbw
liblapack	http://www.netlib.org/lapack/	https://www.netlib.org/lapack/LICENSE.txt
liblapacke	https://anaconda.org/conda-forge/liblapacke	https://www.netlib.org/lapack/LICENSE.txt
liblzma	https://tukaani.org/xz/	https://git.tukaani.org/?p=xz.git;a=blob;f=COPYING.0BSD
libmamba	https://medium.com/@QuantStack/open-software-packag	https://github.com/mamba-org/mamba/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
libmambapy	https://www.anaconda.com/blog/a-faster-conda-for-a-g	https://github.com/conda/conda-libmamba-solv blob/main/LICENSE
libnetcdf	https://www.unidata.ucar.edu/software/netcdf/	https://www.unidata.ucar.edu/software/netcdf/copyright.html
libnghttp2	https://github.com/nghttp2/nghttp2	https://github.com/nghttp2/nghttp2/blob/master/COPYING
libnsl	https://github.com/thkukuk/libnsl	https://gcc.gnu.org/onlinedocs/libstdc++/manual/license.html
libopenblas	https://www.openblas.net/	https://github.com/xianyi/OpenBLAS/blob/develop/LICENSE
libpng	https://www.libpng.org/pub/png/libpng.html	https://www.libpng.org/pub/png/src/libpng-LICENSE.txt
libpq	https://www.postgresql.org/	https://www.postgresql.org/about/licence/
librsvg	https://gitlab.gnome.org/GNOME/librsvg	https://gitlab.gnome.org/GNOME/librsvg/-/blob/main/COPYING.LIB
libsolv	https://github.com/openSUSE/libsolv	https://github.com/openSUSE/libsolv/blob/master/LICENSE.BSD
libsqlite	https://github.com/mackyle/sqlite	https://github.com/mackyle/sqlite?tab=License-1-ov-file#readme
libssh2	https://github.com/libssh2/libssh2	https://github.com/libssh2/libssh2/blob/master/COPYING
libstdcxx	https://gcc.gnu.org/	https://gcc.gnu.org/onlinedocs/libstdc++/manual/license.html

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
libtiff	https://www.libtiff.org/	https://www.libtiff.org/misc.html
libtrust	https://github.com/docker/libtrust	https://github.com/docker/libtrust/blob/master/LICENSE
libuuid	https://sourceforge.net/projects/libuuid/	https://sourceforge.net/p/libuuid/code/ci/master/tree/COPYING
libuv	https://github.com/libuv/libuv	https://github.com/libuv/libuv/blob/v1.x/LICENSE
libwebp	https://chromium.googlesource.com/?format=HTML	https://chromium.googlesource.com/chromium/src/third_party/+/refs/heads/main/libwebp/LICENSE
libwebp-base	https://chromium.googlesource.com/?format=HTML	https://chromium.googlesource.com/chromium/src/third_party/+/refs/heads/main/libwebp/LICENSE
libxc	https://www.tddft.org/programs/libxc/	https://gitlab.com/libxc/libxc/-/blob/master/COPYING
libxcb	https://xcb.freedesktop.org	https://github.com/freedesktop/xcb-libxcb/blob/master/COPYING
libxcrypt	https://github.com/besser82/libxcrypt	https://github.com/besser82/libxcrypt?tab=LGPL-2.1-1-ov-file#readme
libxml2	https://git.gnome.org/browse/libxml2/	https://gitlab.gnome.org/GNOME/libxml2/-/blob/master/Copyright
libxmlsec1	https://github.com/lsh123/xmlsec	https://github.com/lsh123/xmlsec/blob/master/README
libxslt	https://gitlab.gnome.org/GNOME/libxslt/-/wikis/home	https://gitlab.gnome.org/GNOME/libxslt/-/blob/master/Copyright

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
libzlib	https://zlib.net	https://zlib.net/zlib_license.html
lightning-utilities	https://github.com/Lightning-AI/utilities	https://github.com/Lightning-AI/utilities?tab=Apache-2.0-1-ov-file#readme
lime	https://github.com/marcotcr/lime	https://github.com/marcotcr/lime/blob/master/LICENSE
linear-operator	https://github.com/cornellius-gp/linear_operator	https://github.com/cornellius-gp/linear_operator?tab=MIT-1-ov-file#readme
lit	http://llvm.org	https://releases.llvm.org/14.0.0/LICENSE.TXT
llvm-openmp	https://github.com/llvm-mirror/openmp	https://github.com/llvm-mirror/openmp/blob/master/LICENSE.txt
llvmlite	http://llvmlite.readthedocs.io	https://github.com/numba/llvmlite/blob/main/LICENSE
loader-utils	https://github.com/webpack/loader-utils	https://github.com/webpack/loader-utils/raw/master/LICENSE
logistro	https://github.com/geopozo/logistro	https://github.com/geopozo/logistro?tab=MIT-1-ov-file#readme
logomaker	https://logomaker.readthedocs.io/en/latest/	https://github.com/jbkinney/logomaker/blob/master/LICENSE
logrus	https://github.com/sirupsen/logrus	https://github.com/sirupsen/logrus/blob/master/LICENSE
logrus-airbrake-hook.v2	https://gopkg.in/gemnasium/logrus-airbrake-hook.v2	https://github.com/gemnasium/logrus-airbrake-hook/blob/v2.1.2/LICENSE
lxml	https://lxml.de	https://lxml.de/index.html#license

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
lz4-c	https://www.lz4.org/	https://github.com/lz4/lz4/blob/dev/LICENSE
lzo	https://www.oberhumer.com/opensource/lzo/	https://www.oberhumer.com/opensource/gpl.html
mamba	https://github.com/mamba-org/mamba	https://github.com/mamba-org/mamba?tab=BSD-3-Clause-1-ov-f readme
markdown	https://github.com/evilstreak/markdown-js	https://www.opensource.org/licenses/mit-license.php
markdown-it-py	https://github.com/executablebooks/markdown-it-py	https://github.com/executablebooks/markdown-it-py/blob/master/LICENSE
markupsafe	https://github.com/pallets/markupsafe/tree/main/src/markupsafe	https://github.com/pallets/markupsafe/tree/main?tab=BSD-3-Clause-1-ov-f
MarkupSafe	https://palletsprojects.com/p/markupsafe/	https://github.com/pallets/markupsafe/blob/main/LICENSE.rst
mashumaro	https://github.com/Fatal1ty/mashumaro	https://github.com/Fatal1ty/mashumaro
matplotlib	https://matplotlib.org	https://matplotlib.org/stable/users/project/license.html
matplotlib-base	https://matplotlib.org	https://matplotlib.org/stable/users/project/license.html
matplotlib-inline	https://github.com/ipython/matplotlib-inline	https://github.com/ipython/matplotlib-inline/blob/master/LICENSE
mda-xdrlib	https://github.com/MDAnalysis/mda-xdrlib	https://github.com/MDAnalysis/mda-xdrlib/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
mda_xdrlib	https://github.com/MDAnalysis/mda-xdrlib	https://github.com/MDAnalysis/mda-xdrlib?tab=License-1-ov-file#readme
mdtraj	https://www.mdtraj.org/	https://www.mdtraj.org/1.9.8.dev0/index.html#license
mdurl	https://github.com/markdown-it/mdurl	https://github.com/markdown-it/mdurl/blob/master/LICENSE
menuinst	https://github.com/conda/menuinst	https://github.com/conda/menuinst/blob/main/LICENSE.txt
mergo	https://github.com/imdario/mergo	https://github.com/imdario/mergo/blob/master/LICENSE
mistune	https://github.com/lepture/mistune	https://github.com/lepture/mistune/blob/master/LICENSE
mkl	https://github.com/rust-math/intel-mkl-src	https://github.com/rust-math/intel-mkl-src/blob/master/License.txt
mkl-fft	https://github.com/IntelPython/mkl_fft	https://github.com/IntelPython/mkl_fft/blob/master/LICENSE.txt
mkl-random	https://github.com/IntelPython/mkl_random	https://github.com/IntelPython/mkl_random/blob/master/LICENSE.txt
mkl-service	https://github.com/IntelPython/mkl-service	https://github.com/IntelPython/mkl-service/blob/master/LICENSE.txt
mkl_fft	http://github.com/IntelPython/mkl_fft	https://github.com/IntelPython/mkl_fft?tab=BSD-3-Clause-1-ov-file#readme

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
mkl_random	http://github.com/IntelPython/mkl_random	https://github.com/IntelPython/mkl_random?tab=BSD-3-Clause-1-ov-f readme
ml-dtypes	https://github.com/jax-ml/ml_dtypes	https://github.com/jax-ml/ml_dtypes/blob/main/LICENSE
ml_dtypes	https://github.com/jax-ml/ml_dtypes	https://github.com/jax-ml/ml_dtypes/blob/main/LICENSE
modelcif	https://github.com/ihmwg/python-modelcif	https://github.com/ihmwg/python-modelcif/blob/main/LICENSE
molecupy	https://molecupy.readthedocs.io/en/latest/	https://github.com/samirelanduk/atomium/blob/master/LICENSE
moment	https://github.com/moment/moment	https://github.com/moment/moment/raw/master/LICENSE
moment-precise-range-plugin	https://github.com/codebox/moment-precise-range	https://github.com/codebox/moment-precise-range raw/master/LICENSE.md
more-itertools	https://github.com/more-itertools/more-itertools	https://github.com/more-itertools/more-itertools/blob/master/LICENSE
mpiplus	https://github.com/choderalab/mpiplus	https://github.com/choderalab/mpiplus/blob/main/LICENSE
mpmath	http://mpmath.org/	https://github.com/mpmath/mpmath/blob/master/LICENSE
mrcfile	https://github.com/ccpem/mrcfile	https://github.com/ccpem/mrcfile/blob/master/LICENSE.txt

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
msgpack	https://msgpack.org/	https://github.com/msgpack/msgpack-python/blob/main/COPYING
multidict	https://github.com/aio-libs/multidict	https://github.com/aio-libs/multidict/blob/master/LICENSE
multierr	https://go.uber.org/multierr	https://github.com/uber-go/multierr/blob/master/LICENSE.txt
multiprocess	https://github.com/uqfoundation/multiprocess	https://github.com/uqfoundation/multiprocess/blob/master/LICENSE
munkres	https://software.clapper.org/munkres/	https://github.com/bmc/munkres/blob/master/LICENSE.md
myesui uuid	https://github.com/myesui/uuid	https://pkg.go.dev/github.com/myesui/uuid?tab=licenses
namex	https://github.com/bcgov/namex	https://github.com/bcgov/namex/blob/main/LICENSE
narwhals	https://github.com/narwhals-dev/narwhals	https://github.com/narwhals-dev/narwhals?tab=MIT-1-ov-file#readme
nbclassic	http://jupyter.org	https://github.com/jupyter/nbclassic/blob/main/LICENSE
nbclient	https://jupyter.org	https://github.com/jupyter/nbclient/blob/main/LICENSE
nbconvert	https://jupyter.org	https://github.com/jupyter/nbconvert/blob/main/LICENSE
nbformat	http://jupyter.org	https://github.com/jupyter/nbformat/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
ncurses	https://invisible-island.net/ncurses/	https://invisible-island.net/ncurses/ncurses-license.html
ndfes	https://rutgerslbsr.gitlab.io/fe-toolkit/	https://gitlab.com/RutgersLBSR/fe-toolkit/-/blob/master/LICENSE
ndindex	https://quansight-labs.github.io/ndindex/	https://github.com/Quansight-Labs/ndindex?tab=MIT-1-ov-file#readme
nest-asyncio	https://github.com/erdewit/nest_asyncio	https://github.com/erdewit/nest_asyncio/blob/master/LICENSE
nest_asyncio	https://github.com/erdewit/nest_asyncio	https://github.com/erdewit/nest_asyncio?tab=BSD-2-Clause-1-ov-f readme
netcdf-fortran	https://www.unidata.ucar.edu/software/netcdf/	https://www.unidata.ucar.edu/software/netcdf/copyright.html
netCDF4	http://github.com/Unidata/netcdf4-python	https://github.com/Unidata/netcdf4-python/blob/master/LICENSE
nettle	https://git.lysator.liu.se/nettle/nettle	https://git.lysator.liu.se/nettle/nettle/-/blob/master/AUTHORS?ref_type=heads
networkx	https://networkx.org	https://github.com/networkx/networkx/blob/main/LICENSE.txt
nfpm	https://github.com/goreleaser/nfpm	https://github.com/goreleaser/nfpm/blob/master/LICENSE.md
ng-tags-input	https://github.com/mbenford/ngTagsInput	https://github.com/mbenford/ngTagsInput
ng-toast	https://github.com/tameraydin/ngToast	https://github.com/tameraydin/ngToast

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
ngdraggable	https://github.com/fatlinesofcode/ngDraggable	https://github.com/fatlinesofcode/ngDraggable/raw/master/LICENSE.txt
ngVue	https://github.com/ngVue/ngVue	https://github.com/ngVue/ngVue/raw/master/LICENSE
nh3	https://nh3.readthedocs.io/en/latest/	https://github.com/messense/nh3/blob/main/LICENSE
nlohmann_json	https://github.com/nlohmann/json	https://github.com/nlohmann/json?tab=MIT-1-ov-file#readme
nlopt	https://nlopt.readthedocs.io/en/latest/NLopt_Python_Reference/	https://nlopt.readthedocs.io/en/latest/NLopt_License_and_Copyright/
nodejs	https://nodejs.org/en/	https://raw.githubusercontent.com/nodejs/node/master/LICENSE
nomkl	https://github.com/conda-forge/nomkl-feedstock	https://github.com/conda-forge/nomkl-feedstock/blob/main/LICENSE.txt
notebook	http://jupyter.org	https://github.com/jupyter/notebook/blob/main/LICENSE
notebook-shim	https://github.com/jupyter/notebook_shim	https://github.com/jupyter/notebook_shim
notebook_shim	http://jupyter.org	https://github.com/jupyter/notebook_shim/blob/main/LICENSE
numba	https://numba.pydata.org	https://github.com/numba/numba/blob/main/LICENSE
numcpus	https://github.com/tklauser/numcpus	https://github.com/tklauser/numcpus/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
numexpr	https://github.com/pydata/numexpr	https://github.com/pydata/numexpr/blob/master/LICENSE.txt
numpy	https://numpy.org	https://github.com/numpy/numpy/blob/main/LICENSE.txt
numpy-base	https://numpy.org	https://github.com/numpy/numpy/blob/main/LICENSE.txt
numpydoc	https://numpydoc.readthedocs.io/en/latest/index.html	https://github.com/numpy/numpydoc/blob/main/LICENSE.txt
nvidia-cublas-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cublas-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cuda-cupti-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cuda-cupti-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cuda-nvrtc-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cuda-nvrtc-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cuda-runtime-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cuda-runtime-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cudnn-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/deeplearning/cudnn/sla/index.html
nvidia-cudnn-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/deeplearning/cudnn/sla/index.html

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
nvidia-cuEquivariance	https://github.com/NVIDIA/cuEquivariance	https://github.com/NVIDIA/cuEquivariance/blob/main/LICENSES/LICENSE
nvidia-cufft-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cufft-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cufile-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html#
nvidia-curand-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-curand-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cusolver-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cusolver-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cusparse-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cusparse-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-cusparselt-cu12	https://docs.nvidia.com/cuda/cusparselt/index.html	https://docs.nvidia.com/cuda/cusparselt/license.html
nvidia-ml-py	https://pypi.org/project/nvidia-ml-py/	https://pypi.org/project/nvidia-ml-py/
nvidia-nccl-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/hpc-sdk/eula/index.html
nvidia-nccl-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/hpc-sdk/eula/index.html
nvidia-nvjitlink-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
nvidia-nvshmem-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-nvtx-cu11	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
nvidia-nvtx-cu12	https://developer.nvidia.com/cuda-zone	https://docs.nvidia.com/cuda/eula/index.html
Oat++	https://oatpp.io/	https://github.com/oatpp/oatpp/blob/master/LICENSE
oauthlib	https://github.com/oauthlib/oauthlib	https://github.com/oauthlib/oauthlib/blob/master/LICENSE
ocl-icd	https://github.com/OCL-dev/ocl-icd	https://github.com/OCL-dev/ocl-icd/blob/master/COPYING
ocl-icd-system	https://github.com/conda-forge/ocl-icd-system-feedst	https://github.com/conda-forge/ocl-icd-system-feedst blob/main/LICENSE.txt
olefile	https://www.decalage.info/python/olefileio	https://olefile.readthedocs.io/en/latest/License.html
omegaconf	https://github.com/omry/omegaconf	https://github.com/omry/omegaconf/blob/master/LICENSE
OmegaFold	https://github.com/HeliXonProtein/OmegaFold/tree/main	https://github.com/HeliXonProtein/OmegaFold/blob/main/LICENSE
omnicanvas	https://omnicanvas.readthedocs.io/en/latest/	https://github.com/samirelanduk/omnicanvas/blob/master/LICENSE
OpenFF	https://openforcefield.org/	https://github.com/openforcefield/openff-forcefields
openff-amber-ff-ports	https://github.com/openforcefield/openff-amber-ff-ports	https://github.com/openforcefield/openff-amber-ff-ports blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
openff-forcefields	https://openforcefield.org	https://github.com/openforcefield/openff-forcefields/blob/master/LICENSE
openff-fragmenter	https://github.com/openforcefield/openff-fragmenter	https://github.com/openforcefield/openff-fragmenter/blob/main/LICENSE
openff-interchange	https://github.com/openforcefield/openff-interchange	https://github.com/openforcefield/openff-interchange/blob/main/LICENSE
openff-models	https://github.com/openforcefield/openff-models	https://github.com/openforcefield/openff-models/blob/main/LICENSE
openff-nagl	https://docs.openforcefield.org/projects/nagl/en/latest/?badge=latest	https://github.com/openforcefield/openff-nagl/blob/main/LICENSE
openff-nagl-models	https://github.com/openforcefield/openff-nagl-models	https://github.com/openforcefield/openff-nagl-models/blob/main/LICENSE
openff-toolkit	https://openforcefield.org	https://github.com/openforcefield/openff-toolkit/blob/master/LICENSE
openff-toolkit-base	https://openforcefield.org	https://github.com/openforcefield/openff-toolkit/blob/master/LICENSE
openff-units	https://github.com/openforcefield/openff-units	https://github.com/openforcefield/openff-units/blob/main/LICENSE
openff-utilities	https://github.com/openforcefield/openff-utilities	https://github.com/openforcefield/openff-utilities/blob/main/LICENSE
openjpeg	https://github.com/uclouvain/openjpeg	https://github.com/uclouvain/openjpeg/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
openldap	https://www.openldap.org/software/repo.html	https://git.openldap.org/openldap/openldap/-/blob/master/LICENSE
OpenMM	https://openmm.org	https://docs.openmm.org/7.1.0/userguide/library.html#license
openmmtools	https://github.com/choderalab/openmmtools	https://github.com/choderalab/openmmtools/blob/main/LICENSE
openmoltools	https://github.com/choderalab/openmoltools	https://github.com/choderalab/openmoltools/blob/master/LICENSE
openpyxl	https://openpyxl.readthedocs.io/en/stable/	https://foss.heptapod.net/openpyxl/openpyxl/-/blob/branch/3.0/LICENCE.rst
openssl	https://www.openssl.org	https://github.com/openssl/openssl/blob/master/LICENSE.txt
opt-einsum	https://github.com/dgasmith/opt_einsum	https://github.com/dgasmith/opt_einsum/blob/master/LICENSE
opt_einsum	https://github.com/dgasmith/opt_einsum	https://github.com/dgasmith/opt_einsum/blob/main/LICENSE
OptKing	https://github.com/psi-rking/optking	https://github.com/psi-rking/optking/blob/master/LICENSE
optree	https://optree.readthedocs.io/en/latest/	https://github.com/metaopt/optree/blob/main/LICENSE
oscrypto	https://github.com/wbond/oscrypto	https://github.com/wbond/oscrypto/blob/master/LICENSE
overrides	https://github.com/mkorpela/overrides	https://github.com/mkorpela/overrides/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
packaging	https://github.com/pypa/packaging	https://github.com/pypa/packaging/blob/main/LICENSE
packmol	https://leandro.iqm.unicamp.br/m3g/packmol/home.shtml	https://github.com/m3g/packmol/blob/master/LICENSE
packmol_memgen	http://cpclab.uni-duesseldorf.de/	https://gitlab.com/cbjh/memgen/py-memgen/-/blob/main/LICENSE
pandas	https://pandas.pydata.org	https://github.com/pandas-dev/pandas/blob/main/LICENSE
pandocfilters	http://github.com/jgm/pandocfilters	https://github.com/jgm/pandocfilters/blob/master/LICENSE
panedr	https://github.com/MDAnalysis/panedr	https://github.com/MDAnalysis/panedr/blob/master/LICENSE.txt
pango	https://pango.gnome.org	https://gitlab.gnome.org/GNOME/pango/-/blob/main/COPYING
ParmEd	https://parmed.github.io/ParmEd/html/index.html	https://github.com/ParmEd/ParmEd#license
parser	https://github.com/typescript-eslint/typescript-eslint	https://github.com/typescript-eslint/typescript-eslint/raw/master/LICENSE
parso	https://parso.readthedocs.io/en/latest/	https://github.com/davidhalter/parso/blob/master/LICENSE.txt
pathos	https://github.com/uqfoundation/pathos	https://github.com/uqfoundation/pathos/blob/master/LICENSE
patsy	https://patsy.readthedocs.io/en/latest/	https://github.com/pydata/patsy/blob/master/LICENSE.txt

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
pbkdf2	https://golang.org/x/crypto/pbkdf2	https://cs.opensource.google/go/x/crypto/+/master:LICENSE
pbr	https://docs.openstack.org/pbr/latest/	https://opendev.org/openstack/pbr/src/branch/master/LICENSE
pcmsolver	https://pcmsolver.readthedocs.io/en/stable/	https://github.com/PCMSolver/pcmsolver/blob/master/LICENSE
pcre	https://www.pcre.org	https://www.pcre.org/licence.txt
pcre2	https://www.pcre.org	https://github.com/PCRE2Project/pcre2/blob/master/LICENCE
pdb4amber	https://github.com/Amber-MD/pdb4amber	https://github.com/Amber-MD/pdb4amber/blob/master/LICENSE
pdbfixer	https://github.com/openmm/pdbfixer	https://github.com/openmm/pdbfixer/blob/master/LICENSE
pexpect	https://pexpect.readthedocs.io/	https://github.com/pexpect/pexpect/blob/master/LICENSE
pgconn	https://github.com/jackc/pgconn	https://github.com/jackc/pgconn/blob/master/LICENSE
pgio	https://github.com/jackc/pgio	https://github.com/jackc/pgio/blob/master/LICENSE
pgpassfile	https://github.com/jackc/pgpassfile	https://github.com/jackc/pgpassfile/blob/master/LICENSE
pgproto3	https://github.com/jackc/pgproto3/v2	https://github.com/jackc/pgproto3/blob/master/LICENSE
pgtype	https://github.com/jackc/pgtype	https://github.com/jackc/pgtype/blob/master/LICENSE
pgx	https://github.com/jackc/pgx/v4	https://github.com/jackc/pgx/blob/v4.0.1/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
phonopy	https://github.com/phonopy/phono3py	https://github.com/phonopy/phono3py/blob/develop/LICENSE
pickleshare	https://github.com/pickleshare/pickleshare	https://github.com/pickleshare/pickleshare/blob/master/LICENSE
Pillow	https://python-pillow.org	https://github.com/python-pillow/Pillow/blob/main/LICENSE
Pint	https://pint.readthedocs.io/en/stable/	https://github.com/hgrecco/pint/blob/master/LICENSE
pip	https://pip.pypa.io/	https://github.com/pypa/pip/blob/main/LICENSE.txt
pip-licenses	https://github.com/raimon49/pip-licenses	https://github.com/raimon49/pip-licenses/blob/master/LICENSE
pixman	https://pixman.org	https://cgit.freedesktop.org/pixman/tree/COPYING
pkginfo	https://launchpad.net/pkginfo	https://bazaar.launchpad.net/~tseaver/pkginfo/trunk/view/head:/LICENSE.txt
pkgutil-resolve-name	https://github.com/graingert/pkgutil-resolve-name	https://github.com/graingert/pkgutil-resolve-name?tab=License-1-ov-file#readme
pkgutil_resolve_name	https://github.com/graingert/pkgutil-resolve-name	https://github.com/graingert/pkgutil-resolve-name?tab=License-1-ov-file#readme
platformdirs	https://github.com/platformdirs/platformdirs	https://github.com/platformdirs/platformdirs/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
plotly	https://plotly.com/python/	https://github.com/plotly/plotly.py/blob/master/LICENSE.txt
plotly-orca	https://github.com/plotly/orca	https://github.com/plotly/orca/blob/master/LICENSE
plotly.js	https://github.com/plotly/plotly.js	https://github.com/plotly/plotly.js/raw/master/LICENSE
pluggy	https://pluggy.readthedocs.io/en/stable/index.html	https://github.com/pytest-dev/pluggy/blob/main/LICENSE
pooch	https://github.com/fatiando/pooch	https://github.com/fatiando/pooch/blob/main/LICENSE.txt
portalocker	https://github.com/WoLpH/portalocker	https://github.com/wolph/portalocker/blob/develop/LICENSE
pox	https://github.com/uqfoundation/pox	https://github.com/uqfoundation/pox/blob/master/LICENSE
ppft	https://github.com/uqfoundation/ppft	https://github.com/uqfoundation/ppft/blob/master/LICENSE
pq	https://github.com/lib/pq	https://github.com/lib/pq/blob/master/LICENSE.md
ProDy	http://www.csb.pitt.edu/ProDy	https://github.com/prody/ProDy/blob/master/LICENSE.rst
prometheus-client	https://github.com/prometheus/client_python	https://github.com/prometheus/client_python/blob/master/LICENSE
prometheus_client	https://github.com/prometheus/client_python	https://github.com/prometheus/client_python/blob/master/LICENSE
prompt-toolkit	https://python-prompt-toolkit.readthedocs.io/en/stable/	https://github.com/prompt-toolkit/python-prompt-toolkit/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
prompt_toolkit	https://github.com/prompt-toolkit/python-prompt-toolki	https://github.com/prompt-toolkit/python-prompt-toolki?tab=BSD-3-Clause-1-ov-file#readme
propcache	https://github.com/aio-libs/propcache	https://github.com/aio-libs/propcache?tab=Apache-2.0-1-ov-file#readme
protobuf	https://google.golang.org/protobuf	https://github.com/protocolbuffers/protobuf-go/blob/master/LICENSE
psi4	https://psicode.org	https://github.com/psi4/psi4/blob/master/COPYING.LESSER
psutil	https://psutil.readthedocs.io/en/latest/	https://github.com/giampaolo/psutil/blob/master/LICENSE
psycopg2	https://psycopg.org/	https://github.com/psycopg/psycopg2/blob/master/LICENSE
PTable	https://github.com/kxxoling/PTable	https://github.com/kxxoling/PTable/blob/master/COPYING
pthread-stubs	https://xcb.freedesktop.org	https://github.com/freedesktop/xcb-pthread-stubs/blob/master/COPYING
ptyprocess	https://ptyprocess.readthedocs.io/en/latest/	https://github.com/pexpect/ptyprocess/blob/master/LICENSE
pure-eval	http://github.com/alexmojaki/pure_eval	http://github.com/alexmojaki/pure_eval/blob/master/LICENSE.txt
pure_eval	http://github.com/alexmojaki/pure_eval	https://github.com/alexmojaki/pure_eval?tab=MIT-1-ov-file#readme

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
py	https://py.readthedocs.io/en/latest/	https://github.com/pytest-dev/py/blob/master/LICENSE
py-cpuinfo	https://github.com/workhorsy/py-cpuinfo	https://github.com/workhorsy/py-cpuinfo/blob/master/LICENSE
pyasn1	https://github.com/etingof/pyasn1	https://github.com/etingof/pyasn1/blob/master/LICENSE.rst
pyasn1-modules	https://github.com/etingof/pyasn1-modules	https://github.com/etingof/pyasn1-modules/blob/master/LICENSE.txt
pyasn1_modules	https://pyasn1.readthedocs.io/en/latest/contents.html	https://github.com/pyasn1/pyasn1-modules?tab=BSD-2-Clause-1-ov-file#readme
pybind11	http://pybind11.readthedocs.io/en/stable/	https://github.com/pybind/pybind11/blob/master/LICENSE
pybind11-abi	https://github.com/pybind/pybind11	https://github.com/pybind/pybind11/blob/master/LICENSE
pybind11_global	http://pybind11.readthedocs.io/en/stable/	https://github.com/pybind/pybind11/blob/master/LICENSE
pycairo	https://pycairo.readthedocs.io/en/latest/index.html	https://github.com/pygobject/pycairo/blob/master/COPYING
pycosat	https://github.com/conda/pycosat	https://github.com/conda/pycosat/blob/main/LICENSE
pycparser	https://github.com/eliben/pycparser	https://github.com/eliben/pycparser/blob/master/LICENSE
pydantic	https://pydantic-docs.helpmanual.io	https://github.com/samuelcolvin/pydantic/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
pydantic-core	https://github.com/pydantic/pydantic-core	https://github.com/pydantic/pydantic-core
pyedr	https://github.com/MDAnalysis/panedr	https://github.com/MDAnalysis/panedr/blob/master/LICENSE.txt
pyEMMA	http://github.com/markovmodel/PyEMMA	https://github.com/markovmodel/PyEMMA/blob/devel/LICENSE.txt
Pygments	https://pygments.org	https://github.com/pygments/pygments/blob/master/LICENSE
pygments	https://pygments.org/	https://github.com/pygments/pygments?tab=BSD-2-Clause-1-ov-file#readme
pygraphviz	https://pygraphviz.github.io	https://github.com/pygraphviz/pygraphviz/blob/main/LICENSE
pygtop	https://pygtop.readthedocs.io/en/latest/	https://github.com/samirelanduk/pygtop/blob/master/LICENSE
pyHanko	https://github.com/MatthiasValvekens/pyHanko	https://github.com/MatthiasValvekens/pyHanko/blob/master/LICENSE
pyhanko-certvalidator	https://github.com/MatthiasValvekens/certvalidator	https://github.com/MatthiasValvekens/certvalidator/blob/master/LICENSE
PyJWT	https://github.com/jpadilla/pyjwt	https://github.com/jpadilla/pyjwt/blob/master/LICENSE
pymbar	https://pymbar.org	https://github.com/choderalab/pymbar/blob/master/LICENSE
pynvml	https://github.com/gpuopenanalytics/pynvml	https://github.com/gpuopenanalytics/pynvml/blob/master/LICENSE.txt

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
pyOpenSSL	https://pyopenssl.org/	https://github.com/pyca/pyopenssl/blob/main/LICENSE
pyparsing	https://pyparsing-docs.readthedocs.io/en/latest/	https://github.com/pyparsing/pyparsing/blob/master/LICENSE
PyPDF3	https://github.com/sfneal/PyPDF3	https://github.com/sfneal/PyPDF3/blob/master/LICENSE
pyrsistent	http://github.com/tobgu/pyrsistent/	https://github.com/tobgu/pyrsistent/blob/master/LICENSE.mit
pysam	https://github.com/pysam-developers/pysam	https://github.com/pysam-developers/pysam/blob/master/COPYING
PySocks	https://github.com/Anorov/PySocks	https://github.com/Anorov/PySocks/blob/master/LICENSE
pytables	https://www.pytables.org	https://github.com/PyTables/PyTables/blob/master/LICENSE.txt
python	https://www.python.org/	https://docs.python.org/3/license.html
python-bidi	https://github.com/MeirKriheli/python-bidi	https://github.com/MeirKriheli/python-bidi/blob/master/COPYING
python-constraint	https://github.com/python-constraint/python-constraint	https://github.com/python-constraint/python-constraint/blob/master/LICENSE
python-dateutil	https://dateutil.readthedocs.io	https://github.com/dateutil/dateutil/blob/master/LICENSE
python-json-logger	http://github.com/madzak/python-json-logger	https://github.com/madzak/python-json-logger/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
python-pptx	https://github.com/scanny/python-pptx	https://github.com/scanny/python-pptx/blob/master/LICENSE
python-ldap	https://www.python-ldap.org/	https://github.com/python-ldap/python-ldap/blob/python-ldap-3.4.0/LICENCE
python3-saml	https://github.com/onelogin/python3-saml	https://github.com/onelogin/python3-saml/blob/master/LICENSE
python_abi	https://github.com/conda-forge/python_abi-feedstock	https://github.com/conda-forge/python_abi-feedstock/blob/main/LICENSE.txt
pytorch-lightning	https://github.com/Lightning-AI/pytorch-lightning	https://github.com/Lightning-AI/pytorch-lightning/blob/master/LICENSE
pytz	https://pythonhosted.org/pytz	https://git.launchpad.net/pytz/tree/LICENSE.txt
pytz-deprecation-shim	https://github.com/pganssle/pytz-deprecation-shim	https://github.com/pganssle/pytz-deprecation-shim/blob/master/LICENSE
PyWavelets	https://github.com/PyWavelets/pywt	https://github.com/PyWavelets/pywt/blob/master/LICENSE
PyYAML	https://pyyaml.org/	https://github.com/yaml/pyyaml/blob/master/LICENSE
pyyml	No longer available	No longer available
pyzmq	https://pyzmq.readthedocs.io/en/latest/	https://github.com/zeromq/pyzmq/blob/main/COPYING.BSD
qcelemental	https://github.com/MolSSI/QCElemental	https://github.com/MolSSI/QCElemental/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
qcengine	https://github.com/MolSSI/QCEngine	https://github.com/MolSSI/QCEngine/blob/master/LICENSE
qrcode	https://github.com/lincolnloop/python-qrcode	https://github.com/lincolnloop/python-qrcode/blob/main/LICENSE
ramda	https://github.com/ramda/ramda	https://github.com/ramda/ramda/raw/master/LICENSE.txt
rapidjson	https://rapidjson.org/	https://github.com/Tencent/rapidjson/blob/master/license.txt
rdkit	https://www.rdkit.org	https://github.com/rdkit/rdkit/blob/master/license.txt
re2	https://github.com/google/re2	https://github.com/google/re2/blob/main/LICENSE
readme-renderer	https://github.com/pypa/readme_renderer	https://github.com/pypa/readme_renderer/blob/main/LICENSE
redis-py	https://github.com/andymccurdy/redis-py	https://github.com/redis/redis-py/blob/master/LICENSE
referencing	https://github.com/python-jsonschema/referencing	https://github.com/python-jsonschema/referencing
regex	https://github.com/mrabarnett/mrab-regex	https://github.com/mrabarnett/mrab-regex/blob/hg/LICENSE.txt
reportlab	https://www.reportlab.com	https://www.reportlab.com/dev/docs/faq/#1.3
reproc	https://github.com/DaanDeMeyer/reproc	https://github.com/DaanDeMeyer/reproc/blob/main/LICENSE
reproc-cpp	https://github.com/DaanDeMeyer/reproc	https://github.com/DaanDeMeyer/reproc/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
requests	https://requests.readthedocs.io	https://github.com/psf/requests/blob/main/LICENSE
requests-oauthlib	https://github.com/requests/requests-oauthlib	https://github.com/requests/requests-oauthlib/blob/master/LICENSE
requests-toolbelt	https://toolbelt.readthedocs.org	https://github.com/requests/toolbelt/blob/master/LICENSE
resumable	https://github.com/stevvooe/resumable	https://github.com/stevvooe/resumable/blob/master/LICENSE
retrying	https://github.com/rholder/retrying	https://github.com/rholder/retrying/blob/master/LICENSE
rfc3339-validator	https://github.com/naimetti/rfc3339-validator	https://github.com/naimetti/rfc3339-validator/blob/master/LICENSE
rfc3339_validator	https://github.com/naimetti/rfc3339-validator	https://github.com/naimetti/rfc3339-validator?tab=MIT-1-ov-file#readme
rfc3986	https://rfc3986.readthedocs.io/en/latest/	https://github.com/python-hyper/rfc3986/blob/main/LICENSE
rfc3986-validator	https://github.com/naimetti/rfc3986-validator	https://github.com/naimetti/rfc3986-validator/blob/master/LICENSE
rfc3987-syntax	https://github.com/willynilly/rfc3987-syntax	https://github.com/willynilly/rfc3987-syntax?tab=MIT-1-ov-file#readme
rich	https://github.com/Textualize/rich	https://github.com/Textualize/rich/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
rich-argparse	https://github.com/hamdanal/rich-argparse	https://github.com/hamdanal/rich-argparse/blob/main/LICENSE
rlPyCairo	https://pypi.org/project/rlPyCairo/	https://hg.reportlab.com/hg-public/rlPyCairo/file/tip/rlPyCairo/LICENSE.txt
RocksDict	https://github.com/rocksdict/RocksDict	https://github.com/rocksdict/RocksDict?tab=MIT-1-ov-file#readme
roman-numerals	https://github.com/AA-Turner/roman-numerals	https://github.com/AA-Turner/roman-numerals?tab=License-1-ov-file#readme
roman-numerals-py	https://github.com/AA-Turner/roman-numerals	https://github.com/AA-Turner/roman-numerals?tab=License-1-ov-file#readme
rotary-embedding-torch	https://github.com/lucidrains/rotary-embedding-tor	https://github.com/lucidrains/rotary-embedding-tor blob/main/LICENSE
rpds-py	https://github.com/crate-py/rpds	https://github.com/crate-py/rpds
rpmpack	https://github.com/google/rpmpack	https://github.com/google/rpmpack/blob/master/LICENSE
rsa	https://stuvel.eu/rsa	https://github.com/sybrenstuvel/python-rsa/blob/main/LICENSE
ruamel-yaml	https://sourceforge.net/p/ruamel-yaml/code/ci/default/tree/	https://sourceforge.net/p/ruamel-yaml/code/ci/default/tree/LICENSE
ruamel.yaml.clib	https://sourceforge.net/p/ruamel-yaml-clib/code/ci/default/tree/	https://sourceforge.net/p/ruamel-yaml-clib/code/ci/default/tree/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
s3transfer	https://github.com/boto/s3transfer	https://github.com/boto/s3transfer/blob/develop/LICENSE.txt
sacrebleu	https://github.com/mjpost/sacrebleu	https://github.com/mjpost/sacrebleu/blob/master/LICENSE.txt
sapiens	https://github.com/Merck/Sapiens	https://github.com/Merck/Sapiens/blob/main/LICENSE
sasl	https://mellium.im/sasl	https://github.com/mellium/sasl/blob/main/LICENSE
scikit-gstat	https://mmaelicke.github.io/scikit-gstat/	https://github.com/mmaelicke/scikit-gstat/blob/main/LICENSE
scikit-image	https://scikit-image.org	https://scikit-image.org/docs/dev/license.html
scikit-learn	https://scikit-learn.org/stable/	https://github.com/scikit-learn/scikit-learn/blob/main/COPYING
scikit-learn-extra	https://github.com/scikit-learn-contrib/scikit-learn-extra	https://github.com/scikit-learn-contrib/scikit-learn-extra/blob/main/LICENSE
scikit-network	https://github.com/sknetwork-team/scikit-network	https://github.com/sknetwork-team/scikit-network?tab=License-1-ov-file#readme
scipy	https://scipy.org	https://github.com/scipy/scipy/blob/main/LICENSE.txt
seaborn	https://seaborn.pydata.org	https://github.com/mwaskom/seaborn/blob/master/LICENSE
seaborn-base	https://seaborn.pydata.org	https://github.com/mwaskom/seaborn/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
semver	https://github.com/Masterminds/semver/v3	https://github.com/Masterminds/semver/blob/v3.0.3/LICENSE.txt
Send2Trash	https://github.com/arsenetar/send2trash	https://github.com/arsenetar/send2trash/blob/master/LICENSE
sentry-sdk	https://github.com/getsentry/sentry-python	https://github.com/getsentry/sentry-python/blob/master/LICENSE
setproctitle	https://github.com/dvarrazzo/py-setproctitle	https://github.com/dvarrazzo/py-setproctitle/blob/master/LICENSE
setuptools	https://github.com/pypa/setuptools	https://github.com/pypa/setuptools/blob/main/LICENSE
setuptools-scm	https://github.com/pypa/setuptools_scm/	https://github.com/pypa/setuptools_scm/blob/main/LICENSE
sh	https://github.com/amoffat/sh	https://github.com/amoffat/sh/blob/develop/LICENSE.txt
shellingham	https://github.com/sarugaku/shellingham	https://github.com/sarugaku/shellingham/blob/master/LICENSE
simdjson	https://github.com/simdjson/simdjson/tree/master	https://github.com/simdjson/simdjson/blob/master/LICENSE
simint	https://www.bennyp.org/research/simint/	https://github.com/simint-chem/simint-generator/blob/master/LICENSE
simplejson	https://github.com/simplejson/simplejson	https://github.com/simplejson/simplejson/blob/master/LICENSE.txt
six	https://github.com/benjaminp/six	https://github.com/benjaminp/six/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
smirnoff99frosst	https://github.com/openforcefield/smirnoff99frosst	https://github.com/openforcefield/smirnoff99Frosst/blob/master/LICENSE
smmap	https://github.com/gitpython-developers/smmap	https://github.com/gitpython-developers/smmap/blob/master/LICENSE
snappy	https://github.com/google/snappy	https://github.com/google/snappy/blob/main/COPYING
sniffio	https://github.com/python-trio/sniffio	https://github.com/python-trio/sniffio/blob/master/LICENSE.MIT
snowballstemmer	https://github.com/snowballstem/snowball	https://github.com/snowballstem/snowball/blob/master/COPYING
soupsieve	https://github.com/facelessuser/soupsieve	https://github.com/facelessuser/soupsieve/blob/main/LICENSE.md
spdlog	https://github.com/gabime/spdlog	https://github.com/gabime/spdlog?tab=License-1-ov-file#readme
spglib	https://spglib.readthedocs.io/	https://github.com/spglib/spglib/blob/develop/COPYING
sphinx	https://github.com/sphinx-doc/sphinx	https://github.com/sphinx-doc/sphinx/blob/5.x/LICENSE
sphinxcontrib-applehelp	https://github.com/sphinx-doc/sphinxcontrib-applehe	https://github.com/sphinx-doc/sphinxcontrib-applehe blob/master/LICENSE
sphinxcontrib-devhelp	https://github.com/sphinx-doc/sphinxcontrib-devhelp	https://github.com/sphinx-doc/sphinxcontrib-devhelp blob/master/LICENSE
sphinxcontrib-htmlhelp	https://github.com/sphinx-doc/sphinxcontrib-htmlhel	https://github.com/sphinx-doc/sphinxcontrib-htmlhel blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
sphinxcontrib-jsmath	https://github.com/sphinx-doc/sphinxcontrib-jsmath	https://github.com/sphinx-doc/sphinxcontrib-jsmath/blob/master/LICENSE
sphinxcontrib-qthelp	https://github.com/sphinx-doc/sphinxcontrib-qthelp	https://github.com/sphinx-doc/sphinxcontrib-qthelp/blob/master/LICENSE
sphinxcontrib-serializinghtml	https://github.com/sphinx-doc/sphinxcontrib-serializ	https://github.com/sphinx-doc/sphinxcontrib-serializ blob/master/LICENSE
SQLAlchemy	https://www.sqlalchemy.org	https://docs.sqlalchemy.org/en/14/copyright.html
SQLAlchemy	https://www.sqlalchemy.org/	https://github.com/sqlalchemy/sqlalchemy?tab=MIT-1-ov-file#readme
sqlite	https://sqlite.org/index.html	https://sqlite.org/copyright.html
sqlparse	https://github.com/andialbrecht/sqlparse	https://github.com/andialbrecht/sqlparse/blob/master/LICENSE
stack-data	http://github.com/alexmojaki/stack_data	https://github.com/alexmojaki/stack_data/blob/master/LICENSE.txt
stack_data	http://github.com/alexmojaki/stack_data	https://github.com/alexmojaki/stack_data?tab=MIT-1-ov-file#readme
starfile	https://github.com/alisterburt/starfile	https://github.com/teamtomo/starfile/blob/main/LICENSE
statsmodels	https://github.com/statsmodels/statsmodels	https://github.com/statsmodels/statsmodels/blob/main/LICENSE.txt
structlog	https://www.structlog.org/	https://github.com/hynek/structlog/blob/main/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
streamlit	https://github.com/streamlit/streamlit	https://github.com/streamlit/streamlit/blob/develop/LICENSE
svglib	https://github.com/deeplook/svglib	https://github.com/deeplook/svglib/blob/master/LICENSE.txt
sympy	https://sympy.org	https://github.com/sympy/sympy/blob/master/LICENSE
tables	https://www.pytables.org/	https://github.com/PyTables/PyTables/blob/master/LICENSE.txt
tabulate	https://github.com/astanin/python-tabulate	https://github.com/astanin/python-tabulate/blob/master/LICENSE
tbb	https://github.com/oneapi-src/oneTBB	https://github.com/oneapi-src/oneTBB/blob/master/LICENSE.txt
tenacity	https://github.com/jd/tenacity	https://github.com/jd/tenacity/blob/master/LICENSE
tensorboard	https://github.com/tensorflow/tensorboard	https://github.com/tensorflow/tensorboard/blob/master/LICENSE
tensorboard-data-server	https://github.com/tensorflow/tensorboard	https://github.com/tensorflow/tensorboard/blob/master/LICENSE
tensorboard-plugin-wit	https://github.com/pair-code/what-if-tool	https://github.com/PAIR-code/what-if-tool/blob/master/LICENSE
tensorboardX	https://github.com/lanpa/tensorboardX	https://github.com/lanpa/tensorboardX/blob/master/LICENSE
tensorflow	https://github.com/tensorflow/tensorflow	https://github.com/tensorflow/tensorflow/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
tensorflow-estimator	https://github.com/tensorflow/estimator	https://github.com/tensorflow/estimator/blob/master/LICENSE
tensorflow-io-gcs-filesystem	https://github.com/tensorflow/io	https://github.com/tensorflow/io/blob/master/LICENSE
tensorflow-probability	https://github.com/tensorflow/probability	https://github.com/tensorflow/probability/blob/main/LICENSE
termcolor	https://github.com/hugovk/termcolor	https://github.com/hugovk/termcolor/blob/main/COPYING.txt
terminado	https://github.com/jupyter/terminado	https://github.com/jupyter/terminado/blob/main/LICENSE
testpath	https://github.com/jupyter/testpath	https://github.com/jupyter/testpath/blob/master/LICENSE
textangular	https://github.com/fraywing/textAngular	https://github.com/fraywing/textAngular
texttable	https://github.com/foutaise/texttable/	https://github.com/foutaise/texttable/?tab=MIT-1-ov-file#readme
tf_keras	https://github.com/keras-team/keras-io	https://github.com/keras-team/keras-io/blob/master/LICENSE
tf_keras	https://github.com/keras-team/keras-io	https://github.com/keras-team/keras-io/blob/master/LICENSE
threadpoolctl	https://github.com/joblib/threadpoolctl	https://github.com/joblib/threadpoolctl/blob/master/LICENSE
three	https://github.com/mrdoob/three.js	https://github.com/mrdoob/three.js/raw/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
tiffile	https://github.com/cgohlke/tiffile/	https://github.com/cgohlke/tiffile/blob/master/LICENSE
tinycss2	https://github.com/Kozea/tinycss2/	https://github.com/Kozea/tinycss2/blob/master/LICENSE
tinyxml2	https://github.com/leethomason/tinyxml2	https://github.com/leethomason/tinyxml2/blob/master/LICENSE.txt
tk	https://www.tcl.tk/	https://www.tcl.tk/software/tcltk/license.html
toml	https://github.com/toml-lang/toml	https://github.com/toml-lang/toml/blob/main/LICENSE
tomli	https://github.com/hukkin/tomli	https://github.com/hukkin/tomli/blob/master/LICENSE
toolz	https://github.com/pytoolz/toolz	https://github.com/pytoolz/toolz/blob/master/LICENSE.txt
torch	https://pytorch.org/	https://pypi.org/project/torch/#license
torch-geometric	https://pyg.org/	https://github.com/pyg-team/pytorch_geometric?tab=MIT-1-ov-file#readme
torcheval	https://github.com/pytorch/torcheval	https://github.com/pytorch/torcheval?tab=License-1-ov-file#readme
torchmetrics	https://github.com/Lightning-AI/torchmetrics	https://github.com/Lightning-AI/torchmetrics?tab=Apache-2.0-1-ov-file#readme
tornado	https://www.tornadoweb.org	https://github.com/tornadoweb/tornado/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL		
tqdm	https://github.com/tqdm/tqdm	https://github.com/tqdm/tqdm/blob/master/LICENCE		
tracy	https://github.com/gear-genomics/tracy	https://github.com/gear-genomics/tracy/blob/main/LICENSE		
traitlets	https://github.com/ipython/traitlets	https://github.com/ipython/traitlets/blob/main/COPYING.md		
triton	https://github.com/openai/triton/	https://github.com/openai/triton/blob/main/LICENSE		
truststore	https://github.com/sethmlarson/trus	https://github.com/sethmlarson/truststore/blob/main/LICENSE		
truststore	https://github.com/sethmlarson/truststore	https://github.com/sethmlarson/truststore/blob/main/LICENSEtruststore	https://github.com/sethmlarson/truststore	https://github.com/sethmlarson/truststore/blob/main/LICENSE
ts-jest	https://github.com/kulshekhar/ts-jest	https://github.com/kulshekhar/ts-jest/raw/master/LICENSE.md		
ts-loader	https://github.com/TypeStrong/ts-loader	https://github.com/TypeStrong/ts-loader/raw/master/LICENSE		
twine	https://github.com/pypa/twine	https://github.com/pypa/twine/blob/main/LICENSE		
twinj uuid	https://github.com/twinj/uuid	https://github.com/twinj/uuid/blob/master/LICENSE		
types	https://github.com/babel/babel	https://github.com/babel/babel/raw/master/LICENSE		
types-python-dateutil	https://github.com/python/typeshed	https://github.com/python/typeshed?tab=License-1-ov-file#readme		
types-requests	https://pypi.org/project/types-requests/	https://github.com/python/typeshed/blob/main/LICENSE		

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
typescript	https://github.com/Microsoft/TypeScript	https://github.com/Microsoft/TypeScript/raw/master/LICENSE.txt
typing-inspection	https://github.com/pydantic/typing-inspection	https://github.com/pydantic/typing-inspection?tab=MIT-1-ov-file#readme
typing-utils	https://github.com/bojiang/typing_utils	https://github.com/bojiang/typing_utils?tab=Apache-2.0-1-ov-file#readme
typing_extensions	https://github.com/python/typing	https://github.com/python/typing/blob/master/LICENSE
typing_utils	https://github.com/bojiang/typing_utils	https://github.com/bojiang/typing_utils?tab=Apache-2.0-1-ov-file#readme
tzdata	https://github.com/python/tzdata	https://github.com/python/tzdata/blob/master/LICENSE
tzlocal	https://github.com/regebro/tzlocal	https://github.com/regebro/tzlocal/blob/master/LICENSE.txt
umf	https://github.com/oneapi-src/unified-memory-fram	https://github.com/oneapi-src/unified-memory-fram tab=License-1-ov-file#readme
umi-tools	https://github.com/CGATOxford/UMI-tools	https://github.com/CGATOxford/UMI-tools/blob/master/LICENSE
unicodedata2	https://github.com/fonttools/unicodedata2	https://github.com/fonttools/unicodedata2/blob/master/LICENSE
uri-template	https://gitlab.linss.com/open-source/python/uri-template	https://gitlab.linss.com/open-source/python/uri-template/-/blob/main/LICENSE
uritools	https://github.com/tkem/uritools/	https://github.com/tkem/uritools/blob/master/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL		
urllib3	https://urllib3.readthedocs.io/	https://github.com/urllib3/urllib3/blob/main/LICENSE.txt		
vine	https://github.com/celery/vine	https://github.com/celery/vine/blob/master/LICENSE		
vue	https://github.com/vuejs/vue	https://github.com/vuejs/vue/raw/master/LICENSE		
wadler_lindig	https://github.com/patrick-kidger/wadler_lindig	https://github.com/patrick-kidger/wadler_lindig?tab=Apache-2.0-1-ov-file#readme		
wadler_lindig	https://github.com/patrick-kidger/wadler_lindig	https://github.com/patrick-kidger/wadler_lindig?tab=Apache-2.0-1-ov-file#readmewcwidth	https://github.com/jquast/wcwidth	https://github.com/jquast/wcwidth/blob/master/LICENSE
wandb	https://github.com/wandb/wandb	https://github.com/wandb/wandb/blob/main/LICENSE		
webcolors	https://github.com/ubernostrum/webcolors	https://github.com/ubernostrum/webcolors?tab=BSD-3-Clause-1-ov-file#readme		
webencodings	https://github.com/gsnedders/python-webencodings	https://github.com/gsnedders/python-webencodings/blob/master/LICENSE		
websocket-client	https://github.com/websocket-client/websocket-client.git	https://github.com/websocket-client/websocket-client/blob/master/LICENSE		
Werkzeug	https://palletsprojects.com/p/werkzeug/	https://werkzeug.palletsprojects.com/en/2.1.x/license/		
westpa	http://github.com/westpa/westpa	https://github.com/westpa/westpa/blob/westpa2/LICENSE		
wheel	https://github.com/pypa/wheel	https://github.com/pypa/wheel/blob/main/LICENSE.txt		

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
widgetsnbextension	https://github.com/jupyter-widgets/ipywidgets#readme	https://github.com/jupyter-widgets/ipywidgets/blob/main/LICENSE
wrapt	https://github.com/GrahamDumpleton/wrapt	https://github.com/GrahamDumpleton/wrapt/blob/develop/LICENSE
wsutil	https://github.com/yhat/wsutil	https://github.com/yhat/wsutil/blob/master/LICENSE
x/lint	https://golang.org/x/lint	https://github.com/golang/lint/blob/master/LICENSE
x/mod	https://golang.org/x/mod/semver	https://cs.opensource.google/go/x/mod/+/master:LICENSE
x/net	https://golang.org/x/net	https://cs.opensource.google/go/x/net/+/master:LICENSE
x/oauth2	https://golang.org/x/oauth2	https://cs.opensource.google/go/x/oauth2/+/master:LICENSE
x/sys	https://golang.org/x/sys	https://cs.opensource.google/go/x/sys/+/master:LICENSE
x/text	https://golang.org/x/text	https://cs.opensource.google/go/x/text/+/master:LICENSE
x/tools	https://golang.org/x/tools	https://cs.opensource.google/go/x/tools/+/master:LICENSE
x/xerrors	https://golang.org/x/xerrors	https://cs.opensource.google/go/x/xerrors/+/master:LICENSE
xgboost	https://github.com/dmlc/xgboost	https://github.com/dmlc/xgboost/blob/master/LICENSE
xhtml2pdf	http://github.com/xhtml2pdf/xhtml2pdf	https://github.com/xhtml2pdf/xhtml2pdf/blob/master/LICENSE.txt

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
xlrd	https://github.com/python-excel/xlrd	https://github.com/python-excel/xlrd/blob/master/LICENSE
xlsxwriter	https://github.com/jmcnamara/XlsxWriter	https://github.com/jmcnamara/XlsxWriter/blob/main/LICENSE.txt
xmlsec	https://github.com/mehcode/python-xmlsec	https://github.com/mehcode/python-xmlsec/blob/master/LICENSE
xmltodict	https://github.com/martinblech/xmltodict	https://github.com/martinblech/xmltodict/blob/master/LICENSE
xorg-kbproto	https://gitlab.freedesktop.org/xorg/proto/kbproto	https://gitlab.freedesktop.org/xorg/proto/kbproto/-/blob/master/COPYING
xorg-libice	https://gitlab.freedesktop.org/xorg/lib/libice	https://gitlab.freedesktop.org/xorg/lib/libice/-/blob/master/COPYING
xorg-libsm	https://gitlab.freedesktop.org/xorg/lib/libsm	https://gitlab.freedesktop.org/xorg/lib/libsm/-/blob/master/COPYING
xorg-libx11	https://gitlab.freedesktop.org/xorg/lib/libx11	https://gitlab.freedesktop.org/xorg/lib/libx11/-/blob/master/COPYING
xorg-libxau	https://gitlab.freedesktop.org/xorg/lib/libxau	https://gitlab.freedesktop.org/xorg/lib/libxau/-/blob/master/COPYING
xorg-libxdmcp	https://gitlab.freedesktop.org/xorg/lib/libxdmcp	https://gitlab.freedesktop.org/xorg/lib/libxdmcp/-/blob/master/COPYING

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
xorg-libxext	https://gitlab.freedesktop.org/xorg/lib/libxext	https://gitlab.freedesktop.org/xorg/lib/libxext/-/blob/master/COPYING
xorg-libxrender	https://gitlab.freedesktop.org/xorg/lib/libxrender	https://gitlab.freedesktop.org/xorg/lib/libxrender/-/blob/master/COPYING
xorg-libxt	https://gitlab.freedesktop.org/xorg/lib/libxt	https://gitlab.freedesktop.org/xorg/lib/libxt/-/blob/master/COPYING
xorg-renderproto	https://gitlab.freedesktop.org/xorg/proto/renderproto	https://gitlab.freedesktop.org/xorg/proto/renderproto/-/blob/master/COPYING
xorg-xextproto	https://gitlab.freedesktop.org/xorg/proto/xextproto	https://gitlab.freedesktop.org/xorg/proto/xextproto/-/blob/master/COPYING
xorg-xproto	https://gitlab.freedesktop.org/xorg/proto/xproto	https://gitlab.freedesktop.org/xorg/proto/xproto/-/blob/master/COPYING
xxhash	https://github.com/cespare/xxhash/v2	https://github.com/cespare/xxhash/blob/main/LICENSE.txt
xz	https://github.com/ulikunitz/xz	https://github.com/ulikunitz/xz/blob/master/LICENSE
yaml	https://pyyaml.org/	https://github.com/yaml/pyyaml/blob/master/LICENSE
yaml-cpp	https://github.com/jbeder/yaml-cpp	https://github.com/jbeder/yaml-cpp/blob/master/LICENSE
yaml.v2	https://gopkg.in/yaml.v2	https://github.com/go-yaml/yaml/blob/v2.4.0/LICENSE
yaml.v3	https://gopkg.in/yaml.v3	https://github.com/go-yaml/yaml/blob/v3/LICENSE

continues on next page

Table 1 – continued from previous page

Name of Project	Website	License URL
yarl	https://github.com/aio-libs/yarl/	https://github.com/aio-libs/yarl/blob/master/LICENSE
yaspin	https://github.com/pavdmyt/yaspin	https://github.com/pavdmyt/yaspin/blob/master/LICENSE
yfiles	https://www.yworks.com/products/yfiles	commercial license
yml	https://pypi.org/project/yml/	N/A
zap	https://go.uber.org/zap	https://github.com/uber-go/zap/blob/master/LICENSE.txt
zipp	https://github.com/jaraco/zipp	https://github.com/jaraco/zipp/blob/main/LICENSE
zlib	https://zlib.net/	https://zlib.net/zlib_license.html
zstandard	https://github.com/indygreg/python-zstandard	https://github.com/indygreg/python-zstandard/blob/main/LICENSE
zstd	https://facebook.github.io/zstd/	https://github.com/facebook/zstd/blob/dev/LICENSE
click-option-group	https://github.com/click-contrib/click-option-group	https://github.com/click-contrib/click-option-group/blob/master/LICENSE

9.1 GCC

On the Linux platform, The OpenEye toolkits are linked with the GCC libraries using an eligible compilation process under the terms of the GCC RUNTIME LIBRARY EXCEPTION (see below).

The OpenEye toolkits are NOT open source software and are NOT governed by GPL or other open source licenses. Your right to use the toolkits are governed by the OpenEye license which is binding to You.

For certain Linux distributions, GCC library components are included as object files. Your rights to use GCC library components (libstdc++, libgcc, and libgomp) included with these distributions are governed by the GPLv3 license as follows:

The components libstdc++, libgcc, and libgomp are part of GCC.

- GCC is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.
- GCC is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the

implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GCC (see below). If not, see Licenses GNU Project .

Per GPLv3, section 6d, the source for GCC is available for download from the following location: GNU. The GCC library components included here are from version gcc-4.9.3 and are built using the standard instructions at Installing GCC.

9.1.1 GCC RUNTIME LIBRARY EXCEPTION

```
Version 3.1, 31 March 2009

Copyright © 2009 Free Software Foundation, Inc. http://fsf.org/

Everyone is permitted to copy and distribute verbatim copies of this license document,␣
↪but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under␣
↪section 7 of the GNU General Public License,
version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a␣
↪notice placed by the copyright holder
of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header␣
↪files and runtime libraries with
the compiled program. The purpose of this Exception is to allow compilation of non-GPL␣
↪(including proprietary) programs
to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for␣
↪execution after a Compilation Process,
or makes use of an interface provided by the Runtime Library, but is not otherwise based␣
↪on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications,␣
↪governed by version 3 (or a specified
later version) of the GNU General Public License (GPL) with the option of using any␣
↪subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and␣
↪use would permit combination with
GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor␣
↪architecture, in executable
form or suitable for input to an assembler, loader, linker and/or execution phase.␣
↪Notwithstanding that, Target Code
does not include data in any format that is used as a compiler intermediate␣
↪representation, or used for producing a
compiler intermediate representation.
```

(continues on next page)

(continued from previous page)

```
The "Compilation Process" transforms code entirely represented in non-intermediate␣
↪languages designed for human-written
code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use␣
↪of source code generators and
preprocessors need not be considered part of the Compilation Process, since the␣
↪Compilation Process can be understood
as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-
↪compatible software, or if it is
done without using any work based on GCC. For example, using non-GPL-compatible Software␣
↪to optimize any GCC intermediate
representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime␣
↪Library with Independent Modules,
even if such propagation would otherwise violate the terms of GPLv3, provided that all␣
↪Target Code was generated by
Eligible Compilation Processes. You may then convey such a combination under terms of␣
↪your choice, consistent with the
licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-
↪party software is unaffected by
the copyleft requirements of the license of GCC.
```

See also

- http://www.gnu.org/licenses/gcc-exception.html

9.1.2 GNU GENERAL PUBLIC LICENSE

```
                    GNU GENERAL PUBLIC LICENSE
                       Version 3, 29 June 2007

 Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
 Everyone is permitted to copy and distribute verbatim copies
 of this license document, but changing it is not allowed.

                            Preamble

 The GNU General Public License is a free, copyleft license for
 software and other kinds of works.

   The licenses for most software and other practical works are designed
```

(continues on next page)

(continued from previous page)

```
to take away your freedom to share and change the works.  By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users.  We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors.  You can apply it to
your programs, too.

  When we speak of free software, we are referring to freedom, not
price.  Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

  To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights.  Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

  For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received.  You must make sure that they, too, receive
or can get the source code.  And you must show them these terms so they
know their rights.

  Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

  For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software.  For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

  Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so.  This is fundamentally incompatible with the aim of
protecting users' freedom to change the software.  The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable.  Therefore, we
have designed this version of the GPL to prohibit the practice for those
products.  If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

  Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary.  To prevent this, the GPL assures that
```

(continues on next page)

(continued from previous page)

```
patents cannot be used to render the program non-free.

  The precise terms and conditions for copying, distribution and
modification follow.

                    TERMS AND CONDITIONS

  0. Definitions.

  "This License" refers to version 3 of the GNU General Public License.

  "Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

  "The Program" refers to any copyrightable work licensed under this
License.  Each licensee is addressed as "you".  "Licensees" and
"recipients" may be individuals or organizations.

  To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy.  The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

  A "covered work" means either the unmodified Program or a work based
on the Program.

  To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy.  Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

  To "convey" a work means any kind of propagation that enables other
parties to make or receive copies.  Mere interaction with a user through
a computer network, with no transfer of a copy, is not conveying.

  An interactive user interface displays "Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)
tells the user that there is no warranty for the work (except to the
extent that warranties are provided), that licensees may convey the
work under this License, and how to view a copy of this License.  If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

  1. Source Code.

  The "source code" for a work means the preferred form of the work
for making modifications to it.  "Object code" means any non-source
form of a work.
```

(continues on next page)

(continued from previous page)

```
  A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

  The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form.  A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

  The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities.  However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work.  For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

  The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

  The Corresponding Source for a work in source code form is that
same work.

  2. Basic Permissions.

  All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met.  This License explicitly affirms your unlimited
permission to run the unmodified Program.  The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work.  This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

  You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force.  You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
```

(continues on next page)

(continued from previous page)

```
not control copyright.  Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

  Conveying under any other circumstances is permitted solely under
the conditions stated below.  Sublicensing is not allowed; section 10
makes it unnecessary.

  3. Protecting Users' Legal Rights From Anti-Circumvention Law.

  No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

  When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

  4. Conveying Verbatim Copies.

  You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.


  You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

  5. Conveying Modified Source Versions.

  You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

   a) The work must carry prominent notices stating that you modified
   it, and giving a relevant date.

   b) The work must carry prominent notices stating that it is
   released under this License and any conditions added under section
   7.  This requirement modifies the requirement in section 4 to
   "keep intact all notices".
```

(continues on next page)

(continued from previous page)

```
    c) You must license the entire work, as a whole, under this
    License to anyone who comes into possession of a copy.  This
    License will therefore apply, along with any applicable section 7
    additional terms, to the whole of the work, and all its parts,
    regardless of how they are packaged.  This License gives no
    permission to license the work in any other way, but it does not
    invalidate such permission if you have separately received it.

    d) If the work has interactive user interfaces, each must display
    Appropriate Legal Notices; however, if the Program has interactive
    interfaces that do not display Appropriate Legal Notices, your
    work need not make them do so.

  A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit.  Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

  6. Conveying Non-Source Forms.

  You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a
  written offer, valid for at least three years and valid for as
  long as you offer spare parts or customer support for that product
  model, to give anyone who possesses the object code either (1) a
  copy of the Corresponding Source for all the software in the
  product that is covered by this License, on a durable physical
  medium customarily used for software interchange, for a price no
  more than your reasonable cost of physically performing this
  conveying of source, or (2) access to copy the
  Corresponding Source from a network server at no charge.

  c) Convey individual copies of the object code with a copy of the
  written offer to provide the Corresponding Source.  This
  alternative is allowed only occasionally and noncommercially, and
  only if you received the object code with such an offer, in accord
```

(continues on next page)

(continued from previous page)

```
   with subsection 6b.

   d) Convey the object code by offering access from a designated
   place (gratis or for a charge), and offer equivalent access to the
   Corresponding Source in the same way through the same place at no
   further charge.  You need not require recipients to copy the
   Corresponding Source along with the object code.  If the place to
   copy the object code is a network server, the Corresponding Source
   may be on a different server (operated by you or a third party)
   that supports equivalent copying facilities, provided you maintain
   clear directions next to the object code saying where to find the
   Corresponding Source.  Regardless of what server hosts the
   Corresponding Source, you remain obligated to ensure that it is
   available for as long as needed to satisfy these requirements.

   e) Convey the object code using peer-to-peer transmission, provided
   you inform other peers where the object code and Corresponding
   Source of the work are being offered to the general public at no
   charge under subsection 6d.

  A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

  A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling.  In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage.  For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product.  A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

  "Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source.  The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

  If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information.  But this requirement does not apply
```

(continues on next page)

(continued from previous page)

```
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

  The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed.  Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

  Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

  7. Additional Terms.

  "Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law.  If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

  When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it.  (Additional permissions may be written to require their own
removal in certain cases when you modify the work.)  You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

  Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

    a) Disclaiming warranty or limiting liability differently from the
    terms of sections 15 and 16 of this License; or

    b) Requiring preservation of specified reasonable legal notices or
    author attributions in that material or in the Appropriate Legal
    Notices displayed by works containing it; or

    c) Prohibiting misrepresentation of the origin of that material, or
    requiring that modified versions of such material be marked in
    reasonable ways as different from the original version; or

    d) Limiting the use for publicity purposes of names of licensors or
```

(continues on next page)

(continued from previous page)

```
   authors of the material; or

   e) Declining to grant rights under trademark law for use of some
   trade names, trademarks, or service marks; or

   f) Requiring indemnification of licensors and authors of that
   material by anyone who conveys the material (or modified versions of
   it) with contractual assumptions of liability to the recipient, for
   any liability that these contractual assumptions directly impose on
   those licensors and authors.

  All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10.  If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term.  If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

  If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

  Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

  8. Termination.

  You may not propagate or modify a covered work except as expressly
provided under this License.  Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

  However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

  Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.
```

(continues on next page)

(continued from previous page)

```
  Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License.  If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

  9. Acceptance Not Required for Having Copies.

  You are not required to accept this License in order to receive or
run a copy of the Program.  Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance.  However,
nothing other than this License grants you permission to propagate or
modify any covered work.  These actions infringe copyright if you do
not accept this License.  Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

  10. Automatic Licensing of Downstream Recipients.

  Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License.  You are not responsible
for enforcing compliance by third parties with this License.

  An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations.  If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

  You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License.  For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

  11. Patents.

  A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based.  The
work thus licensed is called the contributor's "contributor version".

  A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
```

(continues on next page)

```
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version.  For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

  Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

  In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement).  To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

  If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients.  "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

  If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

  A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License.  You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
```

(continues on next page)

(continued from previous page)

```
or that patent license was granted, prior to 28 March 2007.

  Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

  12. No Surrender of Others' Freedom.

  If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License.  If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all.  For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

  Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work.  The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

  The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time.  Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

  Each version is given a distinguishing version number.  If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation.  If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

  If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

  Later license versions may give you additional or different
permissions.  However, no additional obligations are imposed on any
```

(continues on next page)

(continued from previous page)

```
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

  THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW.  EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE.  THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU.  SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. Limitation of Liability.

  IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

  17. Interpretation of Sections 15 and 16.

  If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                     END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

  If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

  To do so, attach the following notices to the program.  It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year>  <name of author>

    This program is free software: you can redistribute it and/or modify
```

(continues on next page)

(continued from previous page)

```
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program.  If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

  If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program>  Copyright (C) <year>  <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License.  Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

  You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

  The GNU General Public License does not permit incorporating your program
into proprietary programs.  If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library.  If this is what you want to do, use the GNU Lesser General
Public License instead of this License.  But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
```

See also

- http://www.gnu.org/licenses/gpl.txt

INDEX

A

Add
    OESiteHopper::OESiteHopperDatabase, 10
AddDirectory
    OESiteHopper::OESiteHopperDatabase, 10

C

Close
    OESiteHopper::OESiteHopperDatabase, 10
Constructors
    OESiteHopper::OESiteHopperDatabase, 9
    OESiteHopper::OESiteHopperDatabaseOptions, 11
    OESiteHopper::OESiteHopperPatchOptions, 12
    OESiteHopper::OESiteHopperResults, 14
    OESiteHopper::OESiteHopperScore, 15
    OESiteHopper::OESiteHopperSearch, 17
    OESiteHopper::OESiteHopperSearchBase, 17
    OESiteHopper::OESiteHopperSearchOptions, 18
CreateCopy
    OESiteHopper::OESiteHopperDatabaseOptions, 12
    OESiteHopper::OESiteHopperPatchOptions, 13
    OESiteHopper::OESiteHopperSearchOptions, 20

G

GetColorForceField
    OESiteHopper::OESiteHopperPatchOptions, 13
GetColorScale
    OESiteHopper::OESiteHopperResults, 14
GetColorTanimoto
    OESiteHopper::OESiteHopperResults, 14
GetDesignUnit
    OESiteHopper::OESiteHopperDatabase, 10
    OESiteHopper::OESiteHopperScore, 15
GetID
    OESiteHopper::OESiteHopperScore, 16
GetIDByTitle
    OESiteHopper::OESiteHopperDatabase, 10
GetMaxHits
    OESiteHopper::OESiteHopperSearchOptions, 18
GetMaxMolIdx
    OESiteHopper::OESiteHopperDatabase, 10
GetMolecule
    OESiteHopper::OESiteHopperDatabase, 11
GetNCPU
    OESiteHopper::OESiteHopperSearchOptions, 18
GetNormalizeAndRescore
    OESiteHopper::OESiteHopperSearchOptions, 18
GetOptions
    OESiteHopper::OESiteHopperDatabase, 11
GetPatchOptions
    OESiteHopper::OESiteHopperDatabaseOptions, 11
GetPatchScore
    OESiteHopper::OESiteHopperResults, 14
GetRank
    OESiteHopper::OESiteHopperResults, 14
GetResidueCutoff
    OESiteHopper::OESiteHopperPatchOptions, 12
GetScaleFactor
    OESiteHopper::OESiteHopperPatchOptions, 12
GetScoreCutoff
    OESiteHopper::OESiteHopperSearchOptions, 18
GetSequenceCutoff
    OESiteHopper::OESiteHopperSearchOptions, 19
GetSequenceInfo
    OESiteHopper::OESiteHopperDatabase, 11
GetSequenceSimilarity
    OESiteHopper::OESiteHopperResults, 14
GetShapeTanimoto
    OESiteHopper::OESiteHopperResults, 14

GetSiteSize
    OESiteHopper::OESiteHopperPatchOptions, 12
GetSurfaceCutoff
    OESiteHopper::OESiteHopperPatchOptions, 12
GetTitle
    OESiteHopper::OESiteHopperDatabase, 11
    OESiteHopper::OESiteHopperScore, 16
GetTransform
    OESiteHopper::OESiteHopperScore, 16
GetUseGPU
    OESiteHopper::OESiteHopperSearchOptions, 19
GetUserStartsScaleFactor
    OESiteHopper::OESiteHopperPatchOptions, 12

O

OESiteHopper::OEAddPatchSurface, 21
OESiteHopper::OEGetPatchSurface, 21
OESiteHopper::OEHasPatchSurface, 21
OESiteHopper::OEMakePatchFromDesignUnit, 21
OESiteHopper::OESetPatchSurface, 22
OESiteHopper::OESetProteinSDData, 22
OESiteHopper::OESiteHopperDatabase, 9
    Add, 10
    AddDirectory, 10
    Close, 10
    Constructors, 9
    GetDesignUnit, 10
    GetIDByTitle, 10
    GetMaxMolIdx, 10
    GetMolecule, 11
    GetOptions, 11
    GetSequenceInfo, 11
    GetTitle, 11
    Open, 9
    operator bool, 10
OESiteHopper::OESiteHopperDatabaseMode, 20
OESiteHopper::OESiteHopperDatabaseMode::APPEND, 20
OESiteHopper::OESiteHopperDatabaseMode::CREATE, 20
OESiteHopper::OESiteHopperDatabaseMode::MAX, 20
OESiteHopper::OESiteHopperDatabaseMode::READONLY, 20
OESiteHopper::OESiteHopperDatabaseMode::SEARCH, 20
OESiteHopper::OESiteHopperDatabaseMode::UNDEFINED, 21
OESiteHopper::OESiteHopperDatabaseOptions, 11
    Constructors, 11
    CreateCopy, 12
    GetPatchOptions, 11
    SetPatchOptions, 11
OESiteHopper::OESiteHopperGetArch, 22
OESiteHopper::OESiteHopperGetLicensee, 22
OESiteHopper::OESiteHopperGetPlatform, 23
OESiteHopper::OESiteHopperGetRelease, 23
OESiteHopper::OESiteHopperGetSite, 23
OESiteHopper::OESiteHopperGetVersion, 23
OESiteHopper::OESiteHopperIsGPUReady, 23
OESiteHopper::OESiteHopperIsLicensed, 23
OESiteHopper::OESiteHopperPatchOptions, 12
    Constructors, 12
    CreateCopy, 13
    GetColorForceField, 13
    GetResidueCutoff, 12
    GetScaleFactor, 12
    GetSiteSize, 12
    GetSurfaceCutoff, 12
    GetUserStartsScaleFactor, 12
    SetResidueCutoff, 13
    SetScaleFactor, 13
    SetSiteSize, 13
    SetSurfaceCutoff, 13
    SetUserStartsScaleFactor, 13
OESiteHopper::OESiteHopperResults, 14
    Constructors, 14
    GetColorScale, 14
    GetColorTanimoto, 14
    GetPatchScore, 14
    GetRank, 14
    GetSequenceSimilarity, 14
    GetShapeTanimoto, 14
    SetColorScale, 15
    SetColorTanimoto, 15
    SetRank, 15
    SetSequenceSimilarity, 15
    SetShapeTanimoto, 15
OESiteHopper::OESiteHopperScore, 15
    Constructors, 15
    GetDesignUnit, 15
    GetID, 16
    GetTitle, 16
    GetTransform, 16
    SetDesignUnit, 16
    SetID, 16
    SetTitle, 16
    SetTransform, 16
OESiteHopper::OESiteHopperSearch, 16
    Constructors, 17
    operator bool, 17
    Search, 17
OESiteHopper::OESiteHopperSearchBase, 17
    Constructors, 17

operator bool, 17
Search, 18
OESiteHopper::OESiteHopperSearchOptions, 18
Constructors, 18
CreateCopy, 20
GetMaxHits, 18
GetNCPU, 18
GetNormalizeAndRescore, 18
GetScoreCutoff, 18
GetSequenceCutoff, 19
GetUseGPU, 19
SetMaxHits, 19
SetNCPU, 19
SetNormalizeAndRescore, 19
SetScoreCutoff, 19
SetSequenceCutoff, 19
SetUseGPU, 20
Open
OESiteHopper::OESiteHopperDatabase, 9
operator bool
OESiteHopper::OESiteHopperDatabase, 10
OESiteHopper::OESiteHopperSearch, 17
OESiteHopper::OESiteHopperSearchBase, 17

S

Search
OESiteHopper::OESiteHopperSearch, 17
OESiteHopper::OESiteHopperSearchBase, 18
SetColorScale
OESiteHopper::OESiteHopperResults, 15
SetColorTanimoto
OESiteHopper::OESiteHopperResults, 15
SetDesignUnit
OESiteHopper::OESiteHopperScore, 16
SetID
OESiteHopper::OESiteHopperScore, 16
SetMaxHits
OESiteHopper::OESiteHopperSearchOptions, 19
SetNCPU
OESiteHopper::OESiteHopperSearchOptions, 19
SetNormalizeAndRescore
OESiteHopper::OESiteHopperSearchOptions, 19
SetPatchOptions
OESiteHopper::OESiteHopperDatabaseOptions, 11
SetRank
OESiteHopper::OESiteHopperResults, 15
SetResidueCutoff
OESiteHopper::OESiteHopperPatchOptions, 13
SetScaleFactor
OESiteHopper::OESiteHopperPatchOptions, 13
SetScoreCutoff
OESiteHopper::OESiteHopperSearchOptions, 19
SetSequenceCutoff
OESiteHopper::OESiteHopperSearchOptions, 19
SetSequenceSimilarity
OESiteHopper::OESiteHopperResults, 15
SetShapeTanimoto
OESiteHopper::OESiteHopperResults, 15
SetSiteSize
OESiteHopper::OESiteHopperPatchOptions, 13
SetSurfaceCutoff
OESiteHopper::OESiteHopperPatchOptions, 13
SetTitle
OESiteHopper::OESiteHopperScore, 16
SetTransform
OESiteHopper::OESiteHopperScore, 16
SetUseGPU
OESiteHopper::OESiteHopperSearchOptions, 20
SetUserStartsScaleFactor
OESiteHopper::OESiteHopperPatchOptions, 13